

163 East 67th Street

PARK EAST SYNOGOGUE



BLOCK: 1402

LOT: 30


COMMUNITY BOARD: 108

INDIVIDUAL LANDMARK


PROPOSED:

Replacement of existing signs
with LED signs

LED signs will allow for more
current display of updated
information for services and
upcoming events at the
Synagogue via app



Landmarks Map



← CIRCA 1940

PHOTO FROM
NOVEMBER 1988





901 Lexington Ave



149 E. 67TH ST



149 E. 67TH ST

153 E. 67TH St



153 E. 67th St

157 E. 67th St




157 E. 67th St



157 E. 67th St

163 E. 67th St



163 E. 67th St




163 E. 67th St

1150 3rd Ave




1150 3rd Ave



← E. 67TH STREET ←

BASEMENT LEVEL



← E. 67TH STREET ←


FIRST FLOOR LEVEL



PARK EAST SYNAGOGUE


163 E. 67TH STREET
NEW YORK, NY
BLOCK: 1402
LOT: 30

Landmark Type: Individual Landmark
Date of Designation: 1/29/1980
Architect: Schneider & Herter
Architectural Style: Moorish
Constructed – 1889-1890



1 SOUTH ELEVATION

Scale: 0" = 12 feet



1 SOUTH ELEVATION

Scale: 0" = 12' feet



1ST FLOOR
ENTRANCE



BASEMENT ENTRANCE





EXISTING SIGNS





EXISTING MOUNTING
BRACKETS TO BE USED
FOR NEW PROPOSED
SIGNS



PROPOSED SIGNS

EAST 67 STREET, EAST SIDE COLUMN



SIGN NOTES:

- ILLUMINATED ACCESSORY WALL SIGN CONFIRMS W/C27-498(a)(b)
- SIGN WILL NOT INTERFERE W/ TRAFFIC SIGNAL - COLORS
- SIGN WILL NOT BLOCK ANY EXIT DOORS OR FIRE ESCAPES AND CONFIRMS W/C27-499
- THERE ARE NO OTHER ILLUMINATED SIGNS ON THE LOT
- THERE ARE NO NON-ILLUMINATED SIGN ON THE LOT
- MATERIAL: SLOW BURNING PLASTIC, OR SIMILAR AS PER C27-507
- SIGN CONFIRMS TO C27-501(a) - LIMITATIONS, (b) MATERIALS AND (c) SUPPORTS
- SIGN CONFIRMS TO C27-508(a) - MAINTENANCE
- SIGN CONFIRMS TO C27-508(b)
- SIGN CONFIRMS TO C27-505 - ILLUMINATED SIGNS



DISPLAY NOTES:

Display Specifications:

One (1) 29.23 inch high by 50.6 inch wide LED display, manufactured by Peerless AV. The display will be capable of polychromatic messaging, with a 0.744 mm x 0.744 mm pixel pitch and a 1920 x 1080 resolution per 29.23 x 50.6 inches. The processor and controller will have DVI and USB connectivity and will include an integral ambient light sensor.

Display Intent:

Generally, the display will be the monochromatic with white text information on a black background, similar to the pin letter display housed in the existing directory case. Special event, holiday and important announcements may include muted colors in pictorial display with text. Screen changes will occur with a modest swipe speed or direct cut. Images will remain static for a period not less than 20 seconds before transition. It is not the intent to run video motion pictures.

Evening Display:

The Display screen will automatically adjust to the light level for the time of day and be dimmed after dark. The display will be further dimmed for the time period from 11:00 PM to 6:00 AM. On the rare occasion where an event will not be concluded by 11:00 PM, the display will be dimmed at the conclusion of the event.