



20240603010002 JACQUES BRASSERIE

Please review this application.

DINING OUT NYC

Business Name:

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe setup review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe setup design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

JACQUES BRASSERIE

Cafe Setup Address: 1135 1ST AVE, NEW YORK, NY 10026

| Application Number: | 204 E 85TH ST, NEW YORK, NY, 10028 | |
|---|---|-------|
| Recommendation Response | Deadline: 9/25/2024 | |
| NYCDOT Internal Use Only | | |
| Roadway Cafe Setup Comme | ents: | |
| | up's physical footprint and dimensions : | |
| Comments related to pedestrian f | flow (i.e., visbility, safety , potential crowding): | |
| Comments related to potential co | onflicts with existing curb use (i.e., planters, bike racks, bus sto | ops): |
| Overall recommendation for the ca | afe setup: | |
| Suggested modifications: | | |
| | | |



Outdoor Dining Application

Restaurant Details





I

East 84 St



500486





Food Service Establishment Permit(FSEP)

FSEP#: 50048671 Expiration Date: 04/30/2025

DOHMH Status: CURRENT

Business Legal Name: BEAR NOAH CORP

Assumed Name: JACQUES BRASSERIE

Business Address: 204 E 85TH ST, NEW YORK, NY 10028

Restaurant Information

Entity Type: Corporation

Employer Identification Number: 81-0997968

Phone: (212) 327-2272

Email Address: info@jacquesbrasserie.com

Emergency Contact Information

First Name: Kevin

Last Name: Estrada

Phone: (347) 664-2212

Email Address: kevin.estrada.nyc@gmail.com

DOS Information

DOS ID#: 82017001

Process Name: Hamimi Ouari

DOS Address: 414 East 89 Street, New York, New York 10028

NYS Liquor Authority Information

NYSLA Serial No: 1293297

License Type: On-Premises

Name of License: Melissa Quari

Title of Representative: **President**

Name of Certificate Holder: Melissa Ouari

User Information

Restaurant Details

Food Service Establishment Permit(FSEP)

FSEP#: **50048671** Expiration Date: **04/30/2025**

DOHMH Status: CURRENT

Business Legal Name: BEAR NOAH CORP

Assumed Name: JACQUES BRASSERIE

Business Address: 204 E 85TH ST, NEW YORK, NY 10028

Restaurant Information

Entity Type: Corporation

Employer Identification Number: 81-0997968

Phone: (212) 327-2272

Email Address: info@jacquesbrasserie.com

Emergency Contact Information

First Name: Kevin

Last Name: Estrada

Phone: (347) 664-2212

Email Address: kevin.estrada.nyc@gmail.com

DOS Information

DOS ID#: 82017001

Process Name: Hamimi Ouari

DOS Address: 414 East 89 Street, New York, New York 10028

NYS Liquor Authority Information

NYSLA Serial No: 1293297

License Type: On-Premises

Name of License: Melissa Ouari

Title of Representative: President

Name of Certificate Holder: Melissa Ouari

User Information

FSEP #

500486



20







| SECTION 2: Required Clearance | es | | |
|---|--------------------------|--|--|
| Please provide distances from the Only provide a distance if the liste Refer to the <u>Setup Guides</u> in the D | d object is wi | ojects. Ithin 15 feet of your proposed setup. C website for more information regardi | ng clearances. |
| Elements with minimum 15 feet clea | | | |
| R01- Subway Stair: Open End | feet | R02- Fire Hydrant | feet |
| Elements with minimum 10 feet clea | rance from r | oadway cafe: | |
| R03- Subway Elevator EntranceR04- FDNY Curb Cut | feet | R05- MTA Curb Cut | feet |
| Elements with minimum 5 feet clear | ance from ro | adway cafe: | |
| R06- Curb Cut R07- Emergency Exit Hatch R08- Subway Stair: Closed End R09- Subway Elevator: Non-Entry R10- Bus Stop Pole: | feet feet feet feet feet | R11- CitiBike/Bike Share Station R12- Bike Corral R13- Micromobility Station R14- Drainage Infrastructure | feet feet feet feet |
| Non- Approaching Side Elements with minimum 3 feet clears | | adway cafe: | |
| R15- Elevated Train Infrastructure | feet | R16-Transformer Vault | feet |
| Elements with minimum 1 foor and 6 | inches clear | rance from roadway cafe: | |
| R17- Vent Infrastructure: utility vent poles, vent grates, subway grates | feet | R18- Manholes | inches |
| Elements with minimum 6 inches cle | arance from | roadway cafe: | |
| R19-Thermoplastic Marking | feet | | |
| Roadway cafe distance from crosswa | alks: | | |
| R20- Adjacent to non-approaching side of crosswalk (min. 8 foot distance) R21- Adjacent to approaching (stopping) side of crosswalk (min. 20 foot distance) R22- No crosswalk present | feet feet | crosswalk on from | nce required crosswalk on oaching side |
| (maintain 20 feet from curb line of intersecting | feet | | |

SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your roadway cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Required

X Barriers (All of the following must be met)

- Maintained on all sides of the cafe except the side fronting the ground floor restaurant.
- Not permanently affixed to the roadway.
- X 30-42 inches tall (excluding planting), and at least 4 inches in width.
- Barriers are interconnected with each other.
- Any cladding over the barriers is securely fastened or affixed.
- Minimum 4 inches wide reflective strip on each barrier on the outward facing side.
- Water-filled with a minimum of 150 pounds per linear foot of barrier length.

Optional - Only check the material categories you intend to use in your roadway cafe

X Flooring (if using, all of the following must be met)

- Durable, lightweight, easily removable, mold-resistant, elevated from the ground level to allow for drainage, and removable to allow for cleaning.
- X Flush with the curb line (except if located on a slope, be flush to the greatest extent feasible), and compliant with applicable accessibility requirements.
- Maintains a 6 inch covered channel between curb and base of flooring to allow for drainage.

Furnishings (if using, all of the following must be met)

X Lightweight and easily movable.

Vertical Screenings (if using, all of the following must be met)

- Located between the barrier and 6 feet above the cafe base or floor.
- Located on the roadway facing side, does not extend the beyond the perimeter of the roadway cafe, and is not affixed to the outward facing side of barriers.
- Easily removable, comprised of non-opaque, fire-grade, and wind resistant materials.
- If within 50 feet of any regulatory or warning signs, does not exceed 46 inches in height.

Overhead Coverings/ Umbrellas (if using, all of the following must be met)

- Minimum of 7 feet and maximum of 10 feet from the base or floor of the roadway cafe.
- Has a weighted base and any support structures are not affixed to the outward facing side of barriers, are of sufficient size and strength, made of durable materials, and free of defects.
- Easily removable, comprised of fire-grade and wind resistant materials.
- If within 50 feet of any regulatory or warning signs, does not exceed 46 inches in height.

Lighting and Electrical Connections (if using, all of the following must be met)

- Any lighting is outdoor rated, properly secured, and lightweight.
- At least 14 feet above sidewalk, and 18 feet above roadway.
- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.

SECTION 1: Site Plan · This Site Plan form is required to be uploaded in the "Roadway Site Plan" field of your online application. Refer to the How to Apply page in the Dining Out NYC website for more information about the application process. Identify Permitted Parking 'ocation: Identify the Parking Sign in front of or around the area where your roadway setup would be located. Roadway cafes can only be placed in: 1. Parking spaces, which include: metered and non-metered spaces, commercial parking, alternate side parking, angled parking, and seasonally restricted parking. **▼** P1- Parking Space 2. Loading areas, including loading only, truck loading, hotel loading, and no parking zones. 3. Floating Parking Lane- a parking lane that is separated from the curb by a protected bicycle lane that is adjacent to the curb. P2- Loading Area P3- Floating Parking Lane Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.

CITIBIKE STATION

CURB

NEIGHBORING

(SAME OWNER)

ESTABLISHMENT

NEW YORK STREET

CURB

SIDEWALK

RESTAURANT FRONTAGE 45 ft

Length of roadway cafe:


Width of roadway cafe:

H3ft.

Restavant

Entrance

CURB



North arrow