



Eric Adams  
Mayor

Ydanis Rodriguez  
Commissioner

# 20240711010024

## Piccola Cucina

Please review this application.

## DINING OUT NYC

## COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe setup review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe setup design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

**Business Name:** Piccola Cucina

**Cafe Setup Address:** 106 E 60TH ST, NEW YORK, NY 10022

**Application Number:** 20240711010024

**Recommendation Response Deadline:** 8/28/2024

NYCDOT Internal Use Only

### Roadway Cafe Setup Comments:

Comments related to the cafe setup's **physical footprint and dimensions**:

Comments related to **pedestrian flow** (i.e., visibility, safety , potential crowding):

Comments related to potential conflicts with **existing curb use** (i.e., planters, bike racks, bus stops):

Overall recommendation for the cafe setup:

Suggested modifications:

Community Board Authorizing Name

Community Board Authorizing Signature

Date



# Outdoor Dining Application

## Restaurant Details



### Food Service Establishment Permit(FSEP)

FSEP#: **50100265** Expiration Date: **10/31/2024**

DOHMH Status: **CURRENT**

Business Legal Name: **M&G 60TH STREET LLC**

Assumed Name: **PICCOLA CUCINA UPTOWN**

Business Address: **106 E 60TH ST, NEW YORK, NY 10022**

### Restaurant Information

Entity Type: **Limited Liability Corporation (LLC)**

Employer Identification Number: **83-3018314**

Phone: **(646) 707-3997**

Email Address: **kellymlk136@GMAIL.COM**

### Emergency Contact Information

First Name: **PHILIP**

Last Name: **GUARDIONE**

Phone: **(917) 283-1065**

Email Address: **STAFF@PICCOLACUCINAGROUP.COM**

### DOS Information

DOS ID#: **5468291**

Process Name: **DANILA DUO**

DOS Address: **650 5TH AVE, NEW YORK, New York 10019**

### NYS Liquor Authority Information

NYSLA Serial No: **034023131281**

License Type: **On-Premises**

Name of License: **PHILIP GUARDIONE**

Title of Representative: **LLC MEMBER**

Name of Certificate Holder: **M G 60TH STREET LLC**

### User Information

FSEP #

50100265

Al  
#

20

## Restaurant Details

### *Food Service Establishment Permit(FSEP)*

FSEP#: **50100265**    Expiration Date: **10/31/2024**

DOHMH Status: **CURRENT**

Business Legal Name: **M&G 60TH STREET LLC**

Assumed Name: **PICCOLA CUCINA UPTOWN**

Business Address: **106 E 60TH ST, NEW YORK, NY 10022**

### *Restaurant Information*

Entity Type: **Limited Liability Corporation (LLC)**

Employer Identification Number: **83-3018314**

Phone: **(646) 707-3997**

Email Address: **kellymlk136@GMAIL.COM**

### *Emergency Contact Information*

First Name: **PHILIP**

Last Name: **GUARDIONE**

Phone: **(917) 283-1065**

Email Address: **STAFF@PICCOLACUCINAGROUP.COM**

### *DOS Information*

DOS ID#: **5468291**

Process Name: **DANILA DUO**

DOS Address: **650 5TH AVE, NEW YORK, New York 10019**

### *NYS Liquor Authority Information*

NYSLA Serial No: **034023131281**

License Type: **On-Premises**

Name of License: **PHILIP GUARDIONE**

Title of Representative: **LLC MEMBER**

Name of Certificate Holder: **M G 60TH STREET LLC**

### *User Information*

FSEP #

[50100265](#)

Alcohol  
#

[2024](#)













PICCOLA CUCINA

by Philip Guardione

PICCOLA CUCINA  
by Philip Guardione

PICCOLA CUCINA  
by Philip Guardione

PICCOLA CUCINA  
by Philip Guardione

PICCOLA CUCINA  
by Philip Guardione

PICCOLA CUCINA  
by Philip Guardione





PREMIER N  
MEDICAL BUI

FINANCIAL  
Capital of the World  
CANTORI  
Migliorini

PARK SIXTY  
www.parksixtymedical.com

PIZZA  
NA

CUCINA

by Philip G

PIZZA CUCINA

CC



## SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Roadway Site Plan" field of your online application.
- Refer to the [How to Apply](#) page in the Dining Out NYC website for more information about the application process.

### Identify Permitted Parking Location:

- Identify the Parking Sign in front of or around the area where your roadway setup would be located.
- Roadway cafes can only be placed in:
  - Parking spaces, which include: metered and non-metered spaces, commercial parking, alternate side parking, angled parking, and seasonally restricted parking.
  - Loading areas, including loading only, truck loading, hotel loading, and no parking zones.
  - Floating Parking Lane- a parking lane that is separated from the curb by a protected bicycle lane that is adjacent to the curb.

- ☐ P1- Parking Space  
☐ P2- Loading Area  
☐ P3- Floating Parking Lane

Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.

ADJACENT PROPERTY

EXG RESTAURANT  
106 E 60TH ST  
NEW YORK, NY 10022

EXIST ENTRY

CELLAR DOORS TO BE  
CLOSED, LOCKED, AND  
REINFORCED DURING  
CAFE OPERATION

STREET CURB

STREET SIGN

WATER FILLED BARRIER  
30" MIN HEIGHT / 42" MAX  
HEIGHT / 4" MIN WIDTH W/  
REFLECTIVE STRIP ON  
OUTWARD FACING SIDE

PARKING LANE - E 60TH ST

16'-7" (RESTAURANT FRONTAGE)

8'-0"

3'-1"

13'-0"

ADJACENT PROPERTY

Length of roadway cafe: 16'7" feet

Width of roadway cafe: 8 feet

## Roadway Cafe Site Plan Form

Applicant Name: WAG 60TH STREET LLC  
 Restaurant Name: Piccola Cucina  
 FSEP Number: 50100265

### Drawing Requirements

#### Food service establishment frontage shown by:

- Line representing space occupied in building
- Labels
- Length

#### Street names:

- Labels on each street

#### Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

#### Roadway shown as:

- Lines indicating parking lane
- Width of parking lane

#### Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width of all three sides

#### Set-up furniture (tables, chairs, etc.) shown as:

- Lines or symbols at approximate location within setup

#### Elements or objects shown as:

- Lines or symbols
- Labels
- Distance from cafe perimeter

#### Utility coverings shown as:

- Symbols representing the approximate shape of the covering within the setup

- ☐ MANHOLE COVER  
☒ UTILITY COVERING



## SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Leave box blank if not applicable.
- Refer to the [Setup Guides](#) in the Dining Out NYC website for more information regarding clearances.

### Elements with minimum 15 feet clearance from roadway cafe:

- ☐ R01- Subway Stair: Open End \_\_\_\_\_ feet
- ☐ R02- Fire Hydrant \_\_\_\_\_ feet

### Elements with minimum 10 feet clearance from roadway cafe:

- ☐ R03- Subway Elevator Entrance \_\_\_\_\_ feet
- ☐ R04- FDNY Curb Cut \_\_\_\_\_ feet
- ☐ R05- MTA Curb Cut \_\_\_\_\_ feet

### Elements with minimum 5 feet clearance from roadway cafe:

- ☐ R06- Curb Cut \_\_\_\_\_ feet ☐ R11- CitiBike/Bike Share Station \_\_\_\_\_ feet
- ☐ R07- Emergency Exit Hatch \_\_\_\_\_ feet ☐ R12- Bike Corral \_\_\_\_\_ feet
- ☐ R08- Subway Stair: Closed End \_\_\_\_\_ feet ☐ R13- Micromobility Station \_\_\_\_\_ feet
- ☐ R09- Subway Elevator: Non-Entry \_\_\_\_\_ feet ☐ R14- Drainage Infrastructure \_\_\_\_\_ feet
- ☐ R10- Bus Stop Pole: \_\_\_\_\_ feet

### Elements with minimum 3 feet clearance from roadway cafe:

- ☐ R15- Elevated Train Infrastructure \_\_\_\_\_ feet
- ☐ R16- Transformer Vault \_\_\_\_\_ feet

### Elements with minimum 1 foot and 6 inches clearance from roadway cafe:


- ☐ R17- Vent Infrastructure \_\_\_\_\_ feet

### Elements with minimum 6 inches clearance from roadway cafe:

- ☐ R18- Thermoplastic Marking \_\_\_\_\_ feet

### Roadway cafe distance from crosswalks:

- ☐ R19- Adjacent to non-approaching side of crosswalk (min. 8 foot distance) \_\_\_\_\_ feet
- ☐ R20- Adjacent to approaching (stopping) side of crosswalk (min. 20 foot distance) \_\_\_\_\_ feet
- ☐ R21- No crosswalk present (maintain 20 feet from curb line of intersecting street) \_\_\_\_\_ feet



## SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your roadway cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements.
- Refer to the [Setup Guides](#) in the Dining Out NYC website for more information regarding materials.

### Materials Checklist:

#### ☐ Barriers

##### \*Required\*

- ☐ Maintained on all sides of the cafe except the side fronting the ground floor restaurant.
- ☐ Not permanently affixed to the roadway.
- ☐ 30-42 inches tall (excluding planting), and at least 4 inches in width.
- ☐ Barriers are interconnected with each other.
- ☐ Any cladding over the barriers is securely fastened or affixed.
- ☐ Minimum 4 inches wide reflective strip on each barrier on the outward facing side.
- ☐ Water-filled with a minimum of 150 pounds per linear foot of barrier length.
- ☐ If your proposed barriers will utilize fill materials other than water please check this box. This may require additional information from the applicant and further review by the Dining Out NYC team, as well as supporting DOT units and City agencies.

\*Optional- Only check the material categories you intend to use in your roadway cafe.\*

#### ☐ Flooring

- ☐ Durable, lightweight, easily removable, mold-resistant, elevated from the ground level to allow for drainage, and removable to allow for cleaning.
- ☐ Flush with the curb line (except if located on a slope, be flush to the greatest extent feasible), and compliant with applicable accessibility requirements.
- ☐ Maintains a 6 inch covered channel between curb and base of flooring to allow for drainage.

#### ☐ Furnishings

- ☐ Lightweight and easily movable.

#### ☐ Vertical Screenings

- ☐ Located between the barrier and 5 feet above the cafe base or floor.
- ☐ Located on the roadway facing side, does not extend the beyond the perimeter of the roadway cafe, and is not affixed to the outward facing side of barriers.
- ☐ Easily removable, comprised of non-opaque, fire-grade, and wind resistant materials.
- ☐ If within 50 feet of any regulatory or warning signs, does not exceed 46 inches in height.

#### ☐ Overhead Coverings/ Umbrellas

- ☐ Minimum of 7 feet and maximum of 10 feet from the base or floor of the roadway cafe.
- ☐ Has a weighted base and any support structures are not affixed to the outward facing side of barriers, are of sufficient size and strength, made of durable materials, and free of defects.
- ☐ Easily removable, comprised of fire-grade and wind resistant materials.
- ☐ If within 50 feet of any regulatory or warning signs, does not exceed 46 inches in height.

#### ☐ Lighting and Electrical Connections

- ☐ Any lighting is outdoor rated, properly secured, and lightweight.
- ☐ At least 14 feet above sidewalk, and 18 feet above roadway.
- ☐ Not attached to any City property, including street trees.
- ☐ Electrical work complies with the applicable requirements set forth in the DOT's rules and the New York City Electrical Code.

- ☐ Please check this box if you are submitting additional documents for review. Documents may include technical drawings prepared by a licensed professional.