



Eric Adams Mayor Ydanis Rodriguez Commissioner

COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: Antonucci
Cafe Address: 168-170 EAST 81 STREET, NEW YORK, NY 10028
Application Number: 20240530010006
Recommendation Response Deadline: 9/07/2024 NYCDOT Internal Use Only
Sidewalk Cafe Setup Feedback: Community Board chooses to WAIVE review
Comments related to the cafe's physical footprint and dimensions :
Comments related to pedestrian flow (i.e., visbility, safety , potential crowding):
Comments related to potential conflicts with existing curb use (i.e., planters, bike racks, bus stops):
Please check one of the recommendations below, either approval, denial , or approval with modifications <u>relating to</u> he above application:
Community Board recommends approval
Community Board recommends approval w/ modifications
Recommended modifications (only if approved w/ modifications):
Applicant acknowledges and agrees to modifications relating to the above referenced application
Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.

Outdoor Dining Application

Restaurant Details

Х



4115198

Food Service Establishment Permit(FSEP,)-
---	----

FSEP#: 41151982 Expiration Date: 11/30/2024

DOHMH Status: CURRENT

Business Legal Name: VIRGILIA CAFE, INC.

Assumed Name: ANTONUCCI

Business Address: 168-170 EAST 81 STREET, NEW YORK, NY 10028

Restaurant Information-

Entity Type: Corporation

Employer Identification Number: 26-0122985

Phone: (212) 570-5100

Email Address: antonucci.tricia@gmail.com

- Emergency Contact Information

First Name: Patricia

Last Name: Antonucci

Phone: (646) 982-9994

Email Address: francantonucci1@gmail.com

DOS Information

DOS ID#: 3236372

Process Name: VIRGILIA CAFE, INC.

FSEP #

NEW YORK CITY

 \otimes

I

DOS Address: 168-70 EAST 81ST STREET, NEW YORK, New York 10028

NYS Liquor Authority Information

NYSLA Serial No: 1171401

License Type: **On-Premises**

Name of License: Virgilia Cafe Inc

Title of Representative: Owner

Name of Certificate Holder: Virgilia Cafe Inc

User Information

Restaurant Details

Food Service Establishment Permit(FSEP)

FSEP#: 41151982 Expiration Date: 11/30/2024

DOHMH Status: CURRENT

Business Legal Name: VIRGILIA CAFE, INC.

Assumed Name: ANTONUCCI

Business Address: 168-170 EAST 81 STREET, NEW YORK, NY 10028

-Restaurant Information-

Entity Type: Corporation

Employer Identification Number: 26-0122985

Phone: (212) 570-5100

Email Address: antonucci.tricia@gmail.com

- Emergency Contact Information-

First Name: Patricia

Last Name: Antonucci

Phone: (646) 982-9994

Email Address: francantonucci1@gmail.com

DOS Information

DOS ID#: 3236372

Process Name: VIRGILIA CAFE, INC.

FSEP #

4115198

DOS Address: 168-70 EAST 81ST STREET, NEW YORK, New York 10028

NYS Liquor Authority Information

NYSLA Serial No: 1171401

License Type: **On-Premises**

Name of License: Virgilia Cafe Inc

Title of Representative: Owner

Name of Certificate Holder: Virgilia Cafe Inc

User Information







SECTION 1: Site Plan


- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the <u>How to Apply</u> page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements:

- Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map.
- C1- Global Corridor (12 feet Clear Path)
- C2- Regional Corridor (10 feet Clear Path)
- C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Setup Area Identification :

- Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.
- Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.





Sidewalk Cafe Site Plan Form

FRANCESCO ANTONUCCI **Applicant Name:**

Restaurant Name:

FSEP Number:

ANTONUCCI CAFE

41151982

Drawing Requirements

Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Length
- Labels

Private Property shown as:

Dashed line

Street names:

Labels on each street

Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

Building entrances shown as:

Label

Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

Set-up furniture (tables, chairs, etc.) shown as:

• Lines or symbols at approximate location within setup

Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:

- Lines or symbols
- Distance from cafe perimeter
- Labels

Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow

SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet	clearance from si	dewalk cafe:	
S01- Subway Stair: Open End	feet		
Elements with minimum 10 feet	clearance from si	dewalk cafe:	
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet
Elements with minimum 8 feet cl	earance from side	ewalk cafe:	
S06- Street Tree Bed	4 feet	S13- Newsstand	feet
S07- Mailbox	feet	S14- Streetlight	feet
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet
S11- Parking Meter	feet	S18- Traffic Signal	feet
S12- SBS Fare Machine	feet		
Elements with minimum 5 feet cl	earance from sid	ewalk cafe:	
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet
S22- Primary Building Entrance	1feet	S27- Siamese Connection	feet
S23- Curb Cut	feet		
Elements with minimum 3 feet cl	earance from side	ewalk cafe:	
S28- Elevated Train Infrastructure	feet	S29- Transformer Vault	feet
Elements with minimum 1 foot 6	inches clearance	from sidewalk cafe elements:	
S30- Vent Infrastructure: utility vent poles, vent grates, subway grates	inches	S31- Manholes	inches
Check this box if none of the obj	ects listed above a	re within 15 feet of the proposed setu	Jp.
Cannot block access to building		Cannot block or be attached to fire escape stairs	

SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Γ

Required

Perimeter Demarcation (All of the following must be met)

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

Optional- Only check the material categories you intend to use in your sidewalk cafe

Furnishings (if using, the first two below must be me
Lightweight and easily movable.
Not affixed to the sidewalk.
Check here if you plan to place tables/chairs on top of a or Basement Door Certification
Awnings Physically Attached to the Building (if using
Minimum 8 feet height from the ground and does not e
Easily removable, comprised of fire-grade and wind res
Does not extend beyond the perimeter of the sidewalk
Complies with the New York City Building Code. Please and/or approval from the Landmarks Preservation Com
Overhead Coverings/ Umbrellas (if using, all of the f
Minimum 7 feet height from the ground and does not e
Easily removable, comprised of fire-grade and wind res
Does not extend beyond the perimeter of the sidewalk
The umbrella/overhead covering has a weighted base a
Any support structures are of sufficient size and strengt
Lighting and Electrical Connections (if using, all of t
Any lighting is outdoor rated, properly secured, and lighting is outdoor rated, properly secured.
Connection is directly connected to ground floor restaut the cafe.
Does not extend beyond the perimeter of the sidewalk
Does not exceed 10 feet in height.

- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Landmarks Preservation Commission (LPC) as applicable.

et)

cellar or basement door. If so, please complete the Cellar

<u>g, all of the following must be met)</u>

exceed 10 feet height.

istant materials.

cafe.

note that this may require additional permits from DOB, mission (LPC) as applicable.

ollowing must be met)

exceed 10 feet height.

istant materials.

cafe.

and any supports are not affixed to the sidewalk.

th, made of durable materials, and free of defects.

<u>he following must be met)</u>

htweight.

arant's power source and within the perimeter of

cafe.

Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the