



Eric Adams Mayor Ydanis Rodriguez Commissioner

COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:	SANT AMBROEUS		
Cafe Address:	1000 MADISON AVENUE, NEW YORK, NY, 1	0075	
Application Numb	ber: 20240722010004		
CB Review Deadline (on date or next business day): 4/26/2025			
NYCDOT Internal Use Only	/		
Sidewalk Cafe Setup Feedback:		ommunity Board chooses to WAIVE review	
Comments related to	to the cafe's physical footprint and dimensions :		
Comments related to	o pedestrian flow (i.e., visbility, safety , potential crowding):	
Comments related to	o potential conflicts with existing curb use (i.e., planters, b	vike racks, bus stops):	
Please check one of the recommendations below, either approval, denial , or approval with modifications <u>relating to</u> <u>the above application</u> :			
Community Board	rd recommends approval	ity Board recommends denial	
Community Board recommends approval w/ modifications			
	difications (only if approved w/ modifications): wledges and agrees to modifications relating to the above	referenced application	
Applicant acknow	wledges BUT does NOT agree with modifications relating to the above wledges BUT does NOT agree with modifications relating to the above with documentation of such a second seco	to the above referenced application. If	
	and prease provide to reason with documentation of such		

RESTAURANT DETAILS


Food Service Establishment Permit(FSEP) FSEP#: 41120682 Expiration Date: 06/30/2025 DOHMH Status: CURRENT Business Legal Name: 1000 MADISON, LLC Assumed Name: SANT AMBROEUS Business Address: 1000 MADISON AVENUE, NEW YORK, NY 10075 Venue Type: Restaurant (with bar) Last updated from DOHMH: 03/17/2025


Restaurant Information Entity Type: Limited Liability Corporation (LLC) Phone: (212) 570-2211 Email Address: hello@pb.law Email Address: alina.ciupe@sahospitalitygroup.com

DOS Information DOS ID#: 3064297 Process Name: SA HOSPITALITY GROUP LLC DOS Address: 950 Third Ave , New York , New York 10022

NYS Liquor Authority Information NYSLA Serial No: 1158705 License Type: On-Premises Name of License: 1000 Madison LLC Title of Representative: Principal Name of Certificate Holder: 1000 Madison LLC

Business hours Sun: 9:00 AM- 10:00 PM Mon: 8:00 AM- 10:00 PM Tues: 8:00 AM- 10:00 PM Wed: 8:00 AM- 10:00 PM Thurs: 8:00 AM- 10:00 PM Sat: 9:00 AM- 10:00 PM











SECTION 1: Site Plan


- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the <u>How to Apply</u> page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements:

- Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map on Open Data.
- C1- Global Corridor (12 feet Clear Path)
- C2- Regional Corridor (10 feet Clear Path)
- C3- Neighborhood Corridor (8 feet Clear Path)
- C4- Community Connector (8 feet Clear Path)
- C5- Baseline Street (8 feet Clear Path)

Setup Area Identification :

- Please check this box if you plan to have outdoor dining located within private property. If so, indicate the property line in the site plan drawing below.
- Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.





Ydanis Rodriguez

Sidewalk Cafe Site Plan Form



1000 Madison LLC

Restaurant Name:

FSEP Number:

Sant Ambroeus

41120682

Drawing Requirements

Food service establishment frontage shown by: Line representing space occupied in building Labels

Street names:

Labels on each street

Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

Primary building entrance shown as:

- Label
- Distance from proposed setup

Cafe perimeter shown as:

- Line
- Length and width
- ----- (Dashed line) representing Private Property Line

Set-up furniture (tables, chairs, etc.) shown as:

 Lines or symbols at approximate location within setup

Sidewalk elements or objects shown as:

- Lines or symbols
- Labels
- Distance from cafe perimeter

Utility coverings shown as:

- Symbols representing the approximate shape of the covering within the setup
 - Q MANHOLE COVER
 - ☑ UTILITY COVERING

SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- · Leave box blank if not applicable.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from sidewalk cafe:				
S01- Subway Stair: Open End	feet			
Elements with minimum 10 feet clearance from sidewalk cafe:				
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet	
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet	
Elements with minimum 8 feet clearance from sidewalk cafe:				
S06- Street Tree Bed	feet	S13- Newsstand	feet	
S07- Mailbox	feet	S14- Streetlight	8' 0"feet	
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet	
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet	
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet	
S11- Parking Meter	feet	S18- Traffic Signal	feet	
S12- Select Bus Service Fare Machine _	feet			
Elements with minimum 5 feet clearance from sidewalk cafe:				
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet	
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet	
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet	
S22- Primary Building Entrance	feet	S27- Siamese Connection	feet	
S23- Curb Cut	feet			
Elements with minimum 3 feet clearance from sidewalk cafe:				
S28- Elevated Train Infrastructure	feet			
S29- Transformer Vault	feet			
Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:				
S30- Vent Infrastructure	inches			
Cannot block access to building		Cannot block or be attached to fire escape stairs		

SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

Materials Checklist:
 Perimeter Demarcation Perimeter demarcation must be clear and visible by base wall, railing, planter, fence, or stanchion and root and maximum height is 2 feet 6 inches (excluding planter). Not affixed to the sidewalk.
*Optional- Only check the material categories y
 Furnishings Lightweight and easily movable. Not affixed to the sidewalk.
Awnings (Physically attached to the building) Minimum 8 feet height from the ground and does n Easily removable, comprised of fire-grade and wind Does not extend beyond the perimeter of the sidew Complies with the New York City Building Code and Commission, as applicable.
 Overhead Coverings/ Umbrellas Minimum 7 feet height from the ground and does n Easily removable, comprised of fire-grade and wind Does not extend beyond the perimeter of the sidew The umbrella/overhead covering has a weighted base Any support structures are of sufficient size and structures
 Lighting and Electrical Connections Any lighting is outdoor rated, properly secured, and Connection is directly connected to ground floor reactive cafe. Does not extend beyond the perimeter of the sidew Does not exceed 10 feet in height. Not attached to any City property, including street to Electrical work complies with the applicable requirective City Electrical Code.

drawings prepared by a licensed professional.

using a lightweight and removable self-supporting pe. ng(s)).

ou intend to use in your sidewalk cafe*

ot exceed 10 feet height.

resistant materials.

alk cafe.

the requirements of the Landmarks Preservation

ot exceed 10 feet height.

resistant materials.

alk cafe.

se and any supports are not affixed to the sidewalk. ength, made of durable materials, and free of defects.

lightweight. taurant's power source and within the perimeter of

alk cafe.

ees.

ments set forth in the DOT's rules and the New York