



# COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

## **DINING OUT NYC**

## **COMMUNITY BOARD RECOMMENDATION FORM**

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:	MARUZZELLA					
Cafe Address:	dress: 1483 FIRST AVENUE, NEW YORK, NY, 10075					
Application Number: 20250108010001						
CB Review Deadline (on date or next business day): 6/7/25  NYCDOT Internal Use Only						
Sidewalk Cafe Se	tup Feedback:		Community Board	chooses to <b>WAIVE</b> review		
Comments related to	o the cafe's <b>physical footpr</b> i	int and dimensions	:			
Comments related to	o <b>pedestrian flow</b> (i.e., visbil	lity, safety , potentia	l crowding):			
Comments related to	o potential conflicts with <b>ex</b>	<b>isting curb use</b> (i.e.,	planters, bike racks, bus sto	ops):		
Please check one of the recommendations below, either <b>approval</b> , <b>denial</b> , or <b>approval with modifications</b> relating to the above application:						
Community Boar	d recommends <b>approval</b>		Community Board recomm	mends <b>denial</b>		
Community Board recommends approval w/ modifications						
Recommended mod	ifications ( <b>only if approved</b>	w/ modifications):				
Applicant acknowledges and agrees to modifications relating to the above referenced application						
Applicant acknowledges <b>BUT</b> does <b>NOT</b> agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.						

## **RESTAURANT DETAILS**

**Food Service Establishment Permit(FSEP)** 

FSEP#: 40641437

Expiration Date: 06/30/2025 DOHMH Status: CURRENT

Business Legal Name: 1483 FIRST AVENUE RESTAURANT INC

Assumed Name: MARUZZELLA

Business Address: 1483 FIRST AVENUE, NEW YORK, NY 10075

Venue Type: Restaurant (with bar)

Last updated from DOHMH: 04/28/2025

#### **Restaurant Information**

Entity Type: Corporation Phone: (212) 988-8877

Email Address: kellymlk136@gmail.com

#### **DOS Information**

DOS ID#: 2209065

Process Name: THE CORPORATION

DOS Address: 1483 1ST AVE, NEW YORK, New York 10075

## **NYS Liquor Authority Information**

NYSLA Serial No: 034023131527

License Type: On-Premises

Name of License: NICOLA LORUSSO Title of Representative: OWNER

Name of Certificate Holder: 1483 FIRST AVENUE RESTAURANT INC

#### Business hours

Sun:

1:00 PM- 10:00 PM

Mon:

1:00 PM- 10:00 PM

Tues:

1:00 PM- 10:00 PM

Wed:

1:00 PM- 10:00 PM

Thurs:


1:00 PM- 10:00 PM

Fri:

1:00 PM- 11:00 PM


Sat:


1:00 PM- 11:00 PM











#### SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the <u>How to Apply</u> page in the Dining Out NYC website for more information about the application process. Identify Clear Path Requirements:

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map.

C1- Global Corridor (12 feet Clear Path)

C2-Regional Corridor (10 feet Clear Path)

C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

#### Setup Area Identification:

- Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.
- Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.





Meyor

Yolanis Rodriguez

# Sidewalk Cafe Site Plan Form

Applicant Name:


1483 FIRST AVENUE RESTAUDANTING

Restaurant Name:

MARUZZELLA

**FSEP Number:** 

40641437



#### **Drawing Requirements**

## Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Length
- · Labels

#### Private Property shown as:

Dashed line

#### Street names:

· Labels on each street

#### Sidewalk shown as:

- · Line representing street curb
- Width measured from building line to curb line

#### Building entrances shown as:

· Label

#### Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

## Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup

## Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:

- Lines or symbols
- Distance from cafe perimeter
- Labels

## Utility coverings (water/gas valves, and pull boxes) shown as:

 Symbols representing the location within the setup


North arrow

#### SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from sidewalk cafe:						
S01- Subway Stair: Open End	feet					
Elements with minimum 10 feet clearance from sidewalk cafe:						
S02- Subway Elevator Entrance S03- Exhaust Duct Elements with minimum 8 feet (	feetfeet	\$04- MTA Curb Cut   \$05- FDNY Curb Cut	feet feet			
S06- Street Tree Bed S07- Mailbox S08- LinkNYC Klosk S09- Wayfinding Klosk S10- E-charging Station S11- Parking Meter S12- SBS Fare Machine	feetfeetfeetfeetfeetfeetfeet	\$13- Newsstand \$14- Streetlight \$15- Bus Stop Pole \$16- Fire Hydrant \$17- Bus Stop Shelter \$18- Traffic Signal	feetfeetfeetfeetfeet			
Elements with minimum 5 feet clearance from sidewalkcafe:						
S19- CitiBike/Bike Share Station  S20- Bike Cornal  S21- Micromobility Station  S22- Primary Building Entrance  S23- Curb Cut	feet 10'4" feet feet feet feet	S24- Emergency Exit Hatch S25- Subway Stair: Closed End S26- Subway Elevator: Non-Entry S27- Siamese Connection	feet feet feet feet			
Elements with minimum 3 feet clearance from sidewalkcafe:						
S28- Elevated Train Infrastructure	feet	S29-Transformer Vault	feet			
Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:						
S30- Vent Infrastructure: utility vent poles, vent grates, subway grates	inches	S31-Manholes	inches			
Check this box if none of the objects listed above are within 15 feet of the proposed setup.						





## **SECTION 3: Material Requirements**

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next
  to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by
  checking the box next to the associated requirement.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

#### Materials Checklist:

#### \*Required\*

## Perimeter Demarcation (All of the following must be met)

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

## \*Optional- Only check the material categories you intend to use in your sidewalk cafe\*

## Furnishings (if using, the first two below must be met)

- Lightweight and easily movable.
- Not affixed to the sidewalk.
- Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar or Basement Door Certification

## Awnings Physically Attached to the Building (if using, all of the following must be met)

- Minimum 8 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.

## Overhead Coverings/ Umbrellas (if using, all of the following must be met)

- Minimum 7 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- Any support structures are of sufficient size and strength, made of durable materials, and free of defects.

## Lighting and Electrical Connections (if using, all of the following must be met)

- Any lighting is outdoor rated, properly secured, and lightweight.
- Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Does not exceed 10 feet in height.
- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City
  Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the
  Landmarks Preservation Commission (LPC) as applicable.