



## COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

## **DINING OUT NYC**

## **COMMUNITY BOARD RECOMMENDATION FORM**

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:	Sweetgreen	
Cafe Address:	786 LEXINGTON AVE, NE	EW YORK, NY, 10065
Application Num	ber: 20240819010006	
	ine (on date or next busine	ss day): 05/31/2025
NYCDOT Internal Use Only		
Sidewalk Cafe Se	tup Feedback:	Community Board chooses to <b>WAIVE</b> review
Comments related t	o the cafe's <b>physical footprint ar</b>	nd dimensions:
Comments related t	o <b>pedestrian flow</b> (i.e., visbility, s	afety , potential crowding):
Comments related t	o potential conflicts with <b>existing</b>	g curb use (i.e., planters, bike racks, bus stops):
Please check one of t		er approval, denial, or approval with modifications relating to
Community Boar	d recommends <b>approval</b>	Community Board recommends denial
Community Boar	d recommends approval w/ mod	lifications
Recommended mod	lifications ( <b>only if approved w/ m</b>	nodifications):
Applicant acknow	wledges and agrees to modificat	ions relating to the above referenced application
		th modifications relating to the above referenced application. If a documentation of such agreement for NYC DOT's consideration.

## **RESTAURANT DETAILS**

## Food Service Establishment Permit(FSEP)

FSEP#: 50052431

Expiration Date: 06/30/2025 DOHMH Status: CURRENT

Business Legal Name: SWEETGREEN NEW YORK LLC

Assumed Name: SWEETGREEN

Business Address: 786 LEXINGTON AVE, NEW YORK, NY 10065

Venue Type: Restaurant (no bar)

Last updated from DOHMH: 03/07/2025

### **Restaurant Information**

Entity Type: Limited Liability Corporation (LLC)

Phone: (213) 838-1668

Email Address: Licensing@Sweetgreen.com

### **DOS Information**

DOS ID#: 4258959

Process Name: ARIANNA GOLDBERG

DOS Address: 3000 S Robertson Blvd, Los Angeles, California 90034

## **NYS Liquor Authority Information**

Establishment serves alcohol: No

## **User Information**

Created By: Patrick Dowd

Created On: 8/19/2024 6:41:46 PM

Modified By: Patrick Dowd

Modified On: 11/5/2024 1:21:50 PM

## **Business hours**

Sun:

10:30 AM- 10:00 PM

Mon:

10:30 AM- 10:00 PM

Tues:

10:30 AM- 10:00 PM

Wed:

10:30 AM- 10:00 PM

Thurs:

10:30 AM- 10:00 PM


Fri:

10:30 AM- 10:00 PM


Sat:

10:30 AM- 10:00 PM









## SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application. Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

## Identify Clear Path Requirements:

found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Clear path requirement for Pedestrian Demand Map. your sidewalk cafe can be

C1- Global Corridor (12 feet Clear Path)

C2- Regional Corridor (10 feet Clear Path

C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.

) Mbrilla

Monday

0

2

## Setup Area Identification:

Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.

Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing





Applicant Name: New York Che Site Plan Form

FSEP Number:

Restaurant Name: wethren

Drawing Requirements

## shown by: Food service establishment frontage

- Line representing the establishment's space facing the sidewalk Length Labels

## Private Property shown as: Dashed line

Street names:
Labels on each street

## Sidewalk shown as:

F,

- Building entrances shown as:
- Line representing street curb Width measured from building line to curb line
- Label

- Cafe perimeter shown as:
   Lines indicating perimeter
   Length and width

(V)

## Set-up furniture (tables, chairs, etc.)

- shown as:
  Lines or symbols at approximate location within setup
- Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown

ē,,

- Lines or symbols
- Distance from cafe perimeter Labels

## Utility coverings (water/gas valves, and

(X

Length of sidewalk cafe:

5

Width of sidewalk cafe:

C

E 61st St

pull boxes) shown as:Symbols representing the location within the setup

North arrow

# SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup. Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

S01- Subway Stair: Open Endfeet	Elements with minimum 15 feet clearance from sidewalk cafe:
	idewalk cafe:

C13_Newset-and	feet	>0_	SOA- Street Tree Red
lewalk cafe:	e from sic	clearanc	Elements with minimum 8 feet clearance from sidewalk cafe:
S05- FDNY Curb Cut	feet		S03- Exhaust Duct
S04- MTA Curb Cut	feet		S02- Subway Elevator Entrance
idewalk cafe:	ce from s	t clearar	Elements with minimum 10 feet clearance from sidewalk cafe:
	feet		S01- Subway Stair: Open End

S22- Primary Building Entrance feet S27-	S21- Micromobility Station feet S26-	S20- Bike CorralfeetS25-	S19- CitiBike/Bike Share Stationfeet\$224-	Elements with minimum 5 feet clearance from sidewalk cafe:	S12- SBS Fare Machinefeet	S11- Parking MeterfeetS18-	S10- E-charging Station feet S17-	S09- Wayfinding Kioskfeet S16-	S08- LinkNYC KioskfeetS15-	S07- MailboxfeetS14-	S06- Street Tree Bed S13-
S27- Siamese Connection	S26- Subway Elevator: Non-Entry	S25- Subway Stair: Closed End	S24- Emergency Exit Hatch	afe:		S18-Traffic Signal	S17- Bus Stop Shelter	S16- Fire Hydrant	315- Bus Stop Pole	S14- Streetlight	] S13- Newsstand
feet	feet	feet	feet			feet	feet	feet	feet	feet	feet

S23- Curb Cut	S22- Primary Building Entrance	S21- Micromobility Station	S20- Bike Corral	319- Citibike/ blke State Station
feet	feet	feet	feet	וכפו
	S27- Siamese	S26- Subway I	S25- Subway	524- Emergen

S28- Elevated Train Infrastructurefo	Elements with minimum 3 feet clearance fro
feet S29-Transformer Vault	om sidewalk cafe:
feet	

# Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:

|--|

S30- Vent Infrastruct

grates, subway grates utility vent pole

Check this box if none of the objects listed above are within 15 feet of the proposed setup.





# SECTION 3: Material Requirements

- to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next checking the box next to the associated requirement.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

## Materials Checklist:

## \*Required\*

# Perimeter Demarcation (All of the following must be met)

feet

feet

- base wall, railing, planter, fence, or stanchion and rope. Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

# \*Optional- Only check the material categories you intend to use in your sidewalk cafe\*

# Furnishings (if using, the first two below must be met)

Lightweight and easily movable

Not affixed to the sidewalk

☐ Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar</u> or <u>Basement Door Certification</u>

# Awarings Physically Attached to the Building (if using, all of the following must be met)

Minimum 8 feet height from the ground and does not exceed 10 feet height

A Easily removable, comprised of fire-grade and wind resistant materials.

Does not extend beyond the perimeter of the sidewalk cafe.

Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable

# Overhead Coverings/ Umbrellas (if using, all of the following must be met)

- Minimum 7 feet height from the ground and does not exceed 10 feet height
- Easily removable, comprised of fire-grade and wind resistant materials
- Does not extend beyond the perimeter of the sidewalk cafe.
- Any support structures are of sufficient size and strength, made of durable materials, and free of defects. IThe umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- Lighting and Electrical Connections (if using, all of the following must be met)

- Any lighting is outdoor rated, properly secured, and lightweight
- Connection is directly connected to ground floor restaurant's power source and within the perimeter of the care.
- Does not extend beyond the perimeter of the sidewalk cafe
- Does not exceed 10 feet in height
- Not attached to any City property, including street trees.
- 🔼 Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Landmarks Preservation Commission (LPC) as applicable. Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the