



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:	YASOUVLAKI			
Cafe Address:	1568 3 AVENUE, NEV	W YORK, NY, 1	0128	
Application Numb	er: 20240724010025	5		
CB Review Deadli NYCDOT Internal Use Only	ne (on date or next bus	siness day): 06	/28/2025	
Sidewalk Cafe Set	up Feedback:		Community Board o	chooses to WAIVE review
Comments related to	the cafe's phyśical footpr i	int and dimensior	s:	
Comments related to	p edestrian flow (i.e., visbil	lity, safety , potent	ial crowding):	
Comments related to	potential conflicts with ex	isting curb use (i.e	., planters, bike racks, bus sto	ops):
Please check one of the above application:		, either approval , c	lenial, or approval with modif	ications relating to
Community Board	d recommends approval		Community Board recomm	nends denial
Community Board	d recommends approval w /	modifications		
Recommended mod	ifications (only if approved	w/ modifications)		
Applicant acknow	vledges and agrees to mod	ifications relating	to the above referenced appli	cation
			ons relating to the above refer ion of such agreement for NY	

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50119449

Expiration Date: 02/28/2026 DOHMH Status: CURRENT

Business Legal Name: 1568 GYRO LLC

Assumed Name: YASOUVLAKI

Business Address: 1568 3 AVENUE, NEW YORK, NY 10128

Venue Type: Restaurant (with bar)
Last updated from DOHMH: 05/09/2025

Restaurant Information

Entity Type: Limited Liability Corporation (LLC)

Phone: (929) 551-1010

Email Address: jgiampilis@gmail.com

DOS Information DOS ID#: 7273623

Process Name: Michael Georgoulakos

DOS Address: 30-59 Crescent Street, APT. 2R, Astoria, New York 11102

NYS Liquor Authority Information NYSLA Serial No: 05242416349 License Type: On-Premises Name of License: 1568 Gyro LLC Title of Representative: Member

Name of Certificate Holder: Ioannis Giampilis

Business hours

Sun:

11:30 AM- 9:30 PM

Mon:

11:30 AM- 9:30 PM

Tues:

11:30 AM- 9:30 PM

Wed:

11:30 AM- 9:30 PM

Thurs:

11:30 AM- 9:30 PM


Fri:

11:30 AM- 10:00 PM


Sat:


11:30 AM- 10:00 PM











SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application. Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements:

your sidewalk cafe can be Clear path requirement for Pedestrian Demand Map. Pedestrian Mobility Plan corridor type on the DOT's found by identifying your

C2- Regional Corridor (10 feet Clear Path)

C3- Neighborhood Corridor, Community Connector, or Baseline

Street (8 feet Clear Path)

C1- Global Corridor (12 feet Clear Path)

- Please check this box if you plan to have outdoor dining located request records from your property owner/manager. partially within private property. If you are uncertain, please
- Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing

<u>Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.</u>

Setup Area Identification:

Restaurant Name: FSEP Number:

Yasouvlaki

50119449

Applicant Name:

1568 Gyro LLC

Site Plan Form Sidewalk Cafe NEW YORK CITY Fric Adams Vidanis Rodríguez Commissioner

Drawing Requirements

shown by: Food service establishment frontage

- Line representing the establishment's space facing the sidewalk
- Length Labels

Dashed line Private Property shown as:

 Labels on each street Street names:

Sidewalk shown as:

- Line representing street curb Width measured from building line to curb line

Building entrances shown as:

Cafe perimeter shown as: Lines indicating perimeter

Length and width

Set-up furniture (tables, chairs, etc.)

Lines or symbols at approximate

shown as:

location within setup

- Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown
- Lines or symbols
- Distance from cafe perimeter Labels

pull boxes) shown as: Utility coverings (water/gas valves, and

Symbols representing the location within the setup

North arrow

Length of sidewalk cafe: 21 feet

Width of sidewalk cafe: 5

feet

SECTION 2: Required Clearances

- Please provide distances from the following objects.

 Only provide a distance if the listed object is within 15 feet of your proposed setup.

 Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 10 feet clearance from sidewalk care.	1
e	1
ä	
ಕ	8
ž	
7	2
ï	
≥	
5	4
	ę
Ε	ı
F	i
Е	ı
E	ı
Е	1
Е	1
-	4
U	П
7	٠
č	ì
r	٠
Ω	_
Œ	•
=	2
0	2
7	,
d	Ś
	•
2	5
E	ŧ
7	
×	1
-	÷
Š	1
0	i
5	Ē
C	,
2	١
ā	3
	•

S02- Subway Elevator Entrance feet S04- MTA Curb Cut	Elements with minimum 10 feet clearance from sidewalk cafe:	S01- Subway Stair: Open Endfeet	Elements with minimum 15 feet clearance from sidewalk care:
feet			

Elements with minimum 8 feet clearance from sidewalk cafe:

feet

S05- FDNY Curb Cut

feet

S03- Exhaust Duct

S12- SBS Fare Machine	S11- Parking Meter	S10- E-charging Station	S09- Wayfinding Kiosk	S08- LinkNYC Kiosk	S07- Mailbox	S06- Street Tree Bed
feet	feet	feet	feet	feet	feet	feet
	S18-Traffic Signal	S17- Bus Stop Shelter	S16- Fire Hydrant	S15- Bus Stop Pole	S14- Streetlight	S13- Newsstand
	10 feet	feet	feet	feet	feet	feet

Elements with minimum 5 feet clearance from sidewalk cafe:

Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:	S28- Elevated Train Infrastructure	Elements with minimum 3 feet clearance from sidewalk cafe:	S23- Curb Cut	S22- Primary Building Entrance	S21- Micromobility Station	S20- Bike Corral	S19- CitiBike/Bike Share Station
e clearanc	feet	ce from sic	feet	feet	feet	feet	feet
e from sidewalk cafe elements:	S29-Transformer Vault	dewalk cafe:		S27- Siamese Connection	S26- Subway Elevator: Non-Entry	S25- Subway Stair: Closed End	S24- Emergency Exit Hatch
							5
	feet			feet	feet	feet	feet

S30- Vent Infrastructure: 62 inches S31- Manholes inches	utility vent poles, vent	ent I	62	S31- Manholes	inches
inches		62			Vent Infrastructure: 62 inches 331 - Manholes utility vent poles, vent

Check this box if none of the objects listed above are within 15 feet of the proposed setup

grates, subway grates





SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Required

Perimeter Demarcation (All of the following must be met)

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk

Optional- Only check the material categories you intend to use in your sidewalk cafe

Furnishings (if using, the first two below must be met)

- Lightweight and easily movable.
- Not affixed to the sidewalk
- Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar or Basement Door Certification

Awnings Physically Attached to the Building (if using, all of the following must be met)

- Minimum 8 feet height from the ground and does not exceed 10 feet height
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.

Overhead Coverings/ Umbrellas (if using, all of the following must be met)

- \blacksquare Minimum 7 feet height from the ground and does not exceed 10 feet height
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe
- The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- Any support structures are of sufficient size and strength, made of durable materials, and free of defects

Lighting and Electrical Connections (if using, all of the following must be met

- Any lighting is outdoor rated, properly secured, and lightweight.
- \blacksquare Connection is directly connected to ground floor restaurant's power source and within the perimeter of
- Does not extend beyond the perimeter of the sidewalk cafe.
- Does not exceed 10 feet in height.
- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.