



Eric Adams Mayor Ydanis Rodriguez Commissioner

# COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

# DINING OUT NYC

# **COMMUNITY BOARD RECOMMENDATION FORM**

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: THE SUPPLY HOUSE	
Cafe Address: 1647 2 AVENUE, NEW YORK, NY, 10028	
Application Number: 20240807010001	
CB Review Deadline (on date or next business day): 07/06/2025 NYCDOT Internal Use Only	
Sidewalk Cafe Setup Feedback:	Community Board chooses to <b>WAIVE</b> review
Comments related to the cafe's <b>physical footprint and dime</b>	nsions:
Comments related to <b>pedestrian flow</b> (i.e., visbility, safety , potential crowding):	
Comments related to potential conflicts with <b>existing curb use</b> (i.e., planters, bike racks, bus stops):	
Please check one of the recommendations below, either <b>approval</b> , <b>denial</b> , or <b>approval with modifications</b> <u>relating to</u> <u>the above application</u> :	
Community Board recommends approval	Community Board recommends denial
Community Board recommends approval w/ modifications	
Recommended modifications ( <b>only if approved w/ modifications</b> ):	
Applicant acknowledges and agrees to modifications relating to the above referenced application Applicant acknowledges <b>BUT</b> does <b>NOT</b> agree with modifications relating to the above referenced application. If	
this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.	

# **RESTAURANT DETAILS**

# Food Service Establishment Permit(FSEP)

FSEP#: 50002547 Expiration Date: 09/30/2025 DOHMH Status: CURRENT Business Legal Name: 1647 second ave corp Assumed Name: THE SUPPLY HOUSE Business Address: 1647 2 AVENUE, NEW YORK, NY 10028 Venue Type: Restaurant (with bar) Last updated from DOHMH: 05/07/2025

# **Restaurant Information**

Entity Type: Corporation Phone: (646) 861-3585 Email Address: thesupplyhouse@aol.com

# **DOS Information**

DOS ID#: 4391792 Process Name: 1647 Second Ave Corp. DOS Address: 1647 Second Ave, New York, New York 10028

# **NYS Liquor Authority Information**


NYSLA Serial No: 1272905 License Type: On-Premises Name of License: Robert Gillin Title of Representative: President Name of Certificate Holder: 1647 Second Ave Corp


# **User Information**

Created By: Robert Gillin Created On: 8/7/2024 11:43:43 AM Modified By: Robert Gillin Modified On: 8/7/2024 11:43:43 AM


# **Business hours**


Sun: 11:30 AM- 1:00 AM Mon: 5:00 AM- 12:30 PM Tues: 5:00 PM- 1:00 AM Wed: 5:00 AM- 1:00 AM Thurs: 4:00 AM- 2:00 AM Fri: 4:00 AM- 3:00 AM Sat: 11:30 AM- 3:00 AM











SECTION 1: Site Plan TOC CLUB NEW YORK CITY Dre Adona This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application. Yelsina Rodriguez Refer to the How to Apply page in the Dining Out NYC website for more information about the application process. Sidewalk Cafe **Identify Clear Path Requirements:** Setup Area Identification : Site Plan Form Clear path requirement for C1- Global Corridor (12 feet Clear Path) Please check this box if you plan to have outdoor dining located your sidewalk cafe can be partially within private property. If you are uncertain, please Applicant Name: ROBERT GILLIN found by identifying your C2- Regional Corridor (10 feet Clear Path) request records from your property owner/manager. corridor type on the DOT's Please check this box if all or part of your sidewalk cafe is in a C3- Neighborhood Corridor, Community Connector, or Baseline Pedestrian Mobility Plan Restaurant Name: THE SUPPLY HOLKE sidewalk widening area, developed pursuant to the NYC Zoning Street (8 feet Clear Path) Pedestrian Demand Map. Resolution. If so, indicate the property line in the site plan drawing 50002547 below. **FSEP Number:** Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances. **Drawing Requirements** NEIGHBOR NY Food service establishment frontage RESTAURANT FRONTAGE = 26FT. NEIGHBORING shown by: BUSINESS ENERG FRONT GARAGE DOOR WINDOWS) Line representing the establishment's BUSINESS space facing the sidewalk Length REST. Labels В B ENTE EN EN Private Property shown as: ENC ENCH R R Dashed line TABLE TFI в E TOTAL > CH B Street names: Labels on each street H SIDENALK Sidewalk shown as: CELLAR Ι DOOR Line representing street curb D Width measured from building line to LENGTH CAFE LENGTH = 20 FT. T curb line Building entrances shown as: = 20FT. Label 8Fr Cafe perimeter shown as: Lines indicating perimeter Length and width TREE STREET CURB Set-up furniture (tables, chairs, etc.) BED STREET CURE shown as: Lines or symbols at approximate location within setup Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as: ROUNDTABLE DIAMETER = 3FT. 2ND AVENUE BIERGARDEN TABLES = JET X 20 N. 2ND AVENUE Lines or symbols . NORTH Distance from cafe perimeter Labels Utility coverings (water/gas valves, and pull boxes) shown as: Symbols representing the location within the setup North arrow Length of sidewalk cafes 20 feet Width of sidewalk cafe:

## SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

#### Elements with minimum 15 feet clearance from sidewalk cafe: 501- Subway Stair: Open End feet Elements with minimum 10 feet clearance from sidewalk cafe: S04- MTA Curb Cut S02- Subway Elevator Entrance feet feet S03- Exhaust Duct feet S05-FDNY Curb Cut feet Elements with minimum 8 feet clearance from sidewalk cafe: S13-Newsstand SOG- Street Tree Bed feet feet S14-Streetlight S07-Mailbox feet feet S15-Bus Stop Pole feet S08-LinkNVC Klosk feet S16-Fire Hydrant feet 509-Wayfinding Klosk feet S17- Bus Stop Shelter feet 510- E-charging Station feet feet feet 511-Parking Meter S18-Traffic Signal feet 512- SBS Fare Machine Elements with minimum 5 feet clearance from sidewalk cafe; \$19- CitiBike/Bike Share Station feet 524- Emergency Exit Hatch feet S20- Bike Corral feet 525- Subway Stair: Closed End feet S21 - Micromobility Station feet 526- Subway Elevator: Non-Entry feet 527- Slamese Connection feet S22- Primary Building Entrance feet 523- Curb Cut feet Elements with minimum 3 feet clearance from sidewalk cafe: S28- Elevated Train Infrastructure feet S29-Transformer Vault feet Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements: inches S30- Vent Infrastructure: S31- Manholes inches utility vent poles, vent grates, subway grates Check this box if none of the objects listed above are within 15 feet of the proposed setup. **Cannot block access** Cannot block or to building e attached to fire escape stairs

## SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Cut NYC requirements by checking the box next to the associated requirement.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

## Materials Checklist:

## \*Required\*

Perimeter Demarcation (All of the following must be met)

entimeter demarcation must be clear and visible by using a lightweight and removable self-supporting asse wall, railing, planter, fence, or stanchion and rope.

Not affixed to the sidewalk.

\*Optional- Only check the material categories you intend to use in your sidewalk cafe\*

## Furnishipgs (if using, the first two below must be met)

Mightweight and easily movable.

Not affored to the sidewark.

Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar</u> or Basement Door Certification

### Awnings Physically Attached to the Building (if using, all of the following must be met)

Minimum 8 feet height from the ground and does not exceed 10 feet height.

Easily removable, comprised of fire-grade and wind resistant materials.

Does not extend beyond the perimeter of the sidewalk cafe.

Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.

## Overhead Coverings/ Umbrellas (if using, all of the following must be met)

Minimum 7 feet height from the ground and does not exceed 10 feet height.

Easily removable, comprised of fire-grade and wind resistant materials.

Does not extend beyond the perimeter of the sidewalk cafe.

The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.

Any support structures are of sufficient size and strength, made of durable materials, and free of defects.

## Lighting and Electrical Connections (if using, all of the following must be met)

Any lighting is outdoor rated, properly secured, and lightweight.

Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.

Does not extend beyond the perimeter of the sidewalk cafe.

Does not exceed 10 feet in height.

Not attached to any City property, including street trees.

Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDN'( and/or approval from the Landmarks Preservation Commission (LPC) as applicable.