

# COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

#### **DINING OUT NYC**

#### **COMMUNITY BOARD RECOMMENDATION FORM**

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: LIT	TLE ITALY PIZZA						
Cafe Address: 359 EAST 68 STREET, NEW YORK, NY, 10065							
Application Number:	20240927010001						
CB Review Deadline (on date or next business day): 06/14/2025							
NYCDOT Internal Use Only							
Sidewalk Cafe Setup Feedback:		Community Board chooses to <b>WAIVE</b> review					
Comments related to the	cafe's physical footprint and dime	ensions:					
Comments related to <b>pec</b>	<b>lestrian flow</b> (i.e., visbility, safety , p	ootential crowding):					
Comments related to pot	ential conflicts with <b>existing curb u</b>	<b>ise</b> (i.e., planters, bike racks, bus stops):					
Please check one of the recommendations below, either <b>approval</b> , <b>denial</b> , or <b>approval</b> with modifications <u>relating to the above application</u> :							
Community Board rec	ommends <b>approval</b>	Community Board recommends denial					
Community Board recommends approval w/ modifications							
Recommended modificat	tions ( <b>only if approved w/ modifica</b>	tions):					
Applicant acknowledges and agrees to modifications relating to the above referenced application							
Applicant acknowledges <b>BUT</b> does <b>NOT</b> agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.							

#### RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50111197

**Expiration Date: 05/31/2026 DOHMH Status: CURRENT** 

Business Legal Name: 23RD STREET LITTLE ITALY PIZZA CORP.

**Assumed Name: LITTLE ITALY PIZZA** 

Business Address: 359 EAST 68 STREET, NEW YORK, NY 10065

**Venue Type: Restaurant (no bar)** 

Last updated from DOHMH: 03/13/2025

Restaurant Information Entity Type: Corporation Phone: (917) 797-0613

Email Address: payroll.penngroup@yahoo.com

DOS Information DOS ID#: 7335565

**Process Name: MONA KAPLAN** 

DOS Address: 33-56 54TH ST, WOODSIDE, New York 11377

NYS Liquor Authority Information Establishment serves alcohol: No

**User Information** 

Created By: Nikki Kaplan

Created On: 9/27/2024 9:28:39 AM Modified By: Jayson Valderrama Modified On: 3/13/2025 10:28:34 PM


**Business hours** 

Sun:10:00 AM- 1:00 AM Mon:10:00 AM- 1:00 AM Tues:10:00 AM- 1:00 AM Wed:10:00 AM- 1:00 AM Thurs:10:00 AM- 2:00 AM Fri:10:00 AM- 4:00 AM Sat:10:00 AM- 4:00 AM









#### SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the <u>How to Apply</u> page in the Dining Out NYC website for more information about the application process.

#### **Identify Clear Path Requirements:**

359 E 68th ST

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map.

- C1- Global Corridor (12 feet Clear Path)
- C2- Regional Corridor (10 feet Clear Path)

Length of sidewalk cafe:

C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

#### **Setup Area Identification:**

- Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.
- Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.





# Sidewalk Cafe Site Plan Form

Applicant Name:

NICOLE KAPLAN

**Restaurant Name:** 

LITTLE ITALY PIZZA

**FSEP Number:** 

50111197



#### **Drawing Requirements**

## Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Length
- Labels

#### Private Property shown as:

Dashed line

#### Street names:

Labels on each street

#### Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

#### **Building entrances shown as:**

Label

#### Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

## Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup


## Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:

- Lines or symbols
- Distance from cafe perimeter
- Labeis

### Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow




#### SECTION 2: Required Clearances

- Please provide distances from the following objects.
  Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

elements with minimum 15 feet	clearance	trom si	dewalk care:		
S01- Subway Stair: Open End		_feet			
Elements with minimum 10 feet	clearance	from si	dewalk cafe:		
S02- Subway Elevator Entrance		feet	S04- MTA Curb Cut		feet
S03- Exhaust Duct		_feet	S05- FDNY Curb Cut		feet
Elements with minimum 8 feet o	elearance	from sid	ewalk cafe:		
S06- Street Tree Bed	8	_feet	S13- Newsstand		feet
S07- Mailbox		feet	S14- Streetlight		feet
S08- LinkNYC Kiosk		_feet	S15- Bus Stop Pole		feet
S09- Wayfinding Kiosk		_feet	S16- Fire Hydrant	10	feet
S10- E-charging Station		_feet	S17- Bus Stop Shelter		feet
S11- Parking Meter		_feet	S18- Traffic Signal	8	feet
S12- SBS Fare Machine		_feet			
Elements with minimum 5 feet o	elearance	from sid	ewalk cafe:		
S19- CitiBike/Bike Share Station		_feet	S24- Emergency Exit Hatch	8'-6"	feet
S20- Bike Corral		feet	S25- Subway Stair: Closed End		feet
S21- Micromobility Station		_feet	S26- Subway Elevator: Non-Entry		feet
S22- Primary Building Entrance	5'-1"	_feet	■ S27- Siamese Connection	9	feet
S23- Curb Cut		_feet			
Elements with minimum 3 feet o	elearance	from sid	ewalk cafe:		
S28- Elevated Train Infrastructure		_feet	S29- Transformer Vault		feet
Elements with minimum 1 foot 6	inches cl	learance	from sidewalk cafe elements:		
S30- Vent Infrastructure: utility vent poles, vent grates, subway grates		_inches	S31- Manholes		inches
Check this box if none of the ob	jects listed	above a	re within 15 feet of the proposed setu	up.	





#### SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.

Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.
laterials Checklist:
*Required*
■ Perimeter Demarcation (All of the following must be met)
Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
Maximum height is 2 feet 6 inches (excluding planting(s)).
■ Not affixed to the sidewalk.
*Optional- Only check the material categories you intend to use in your sidewalk cafe*
Furnishings (if using, the first two below must be met)
Lightweight and easily movable.
Not affixed to the sidewalk.
Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar or Basement Door Certification</u>
Awnings Physically Attached to the Building (if using, all of the following must be met)
Minimum 8 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
■ Does not extend beyond the perimeter of the sidewalk cafe.
Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.
Overhead Coverings/ Umbrellas (if using, all of the following must be met)
Minimum 7 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
Lighting and Electrical Connections (if using, all of the following must be met)
Any lighting is outdoor rated, properly secured, and lightweight.
Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
Does not extend beyond the perimeter of the sidewalk cafe.
Does not exceed 10 feet in height.
Not attached to any City property, including street trees.
Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the

Landmarks Preservation Commission (LPC) as applicable.