



# COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

#### **DINING OUT NYC**

#### **COMMUNITY BOARD RECOMMENDATION FORM**

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:	GRACIE'S DINER				
Cafe Address:	242 E 85TH ST, NEW	/ YORK, NY, 100	28		
Application Numb	er: 20240728010013				
CB Review Deadli NYCDOT Internal Use Only	ne (on date or next bus	siness day): 07/0	6/2025		
Sidewalk Cafe Set	up Feedback:		Community Board	chooses to <b>WAIVE</b> review	
Comments related to	the cafe's <b>phyśical footpri</b>	nt and dimensions			
Comments related to	p <b>edestrian flow</b> (i.e., visbil	ity, safety , potential	crowding):		
Comments related to	potential conflicts with <b>exi</b>	isting curb use (i.e.,	planters, bike racks, bus sto	ops):	
Please check one of the recommendations below, either <b>approval</b> , <b>denial</b> , or <b>approval with modifications</b> <u>relating to the above application</u> :					
Community Board	d recommends approval		Community Board recomm	mends <b>denial</b>	
Community Board	d recommends <b>approval w/</b>	modifications			
Recommended mod	ifications (only if approved	w/ modifications):			
Applicant acknowledges and agrees to modifications relating to the above referenced application					
	vledges <b>BUT</b> does <b>NOT</b> agreed, please provide NYC DOT				

#### **RESTAURANT DETAILS**

Food Service Establishment Permit(FSEP) FSEP#:

50133524

Expiration Date: 03/31/2026 DOHMH Status: CURRENT

Business Legal Name: 86/2 RESTAURANT LLC Assumed Name: GRACIE'S DINER Business Address:

242 E 85TH ST, NEW YORK, NY 10028

Venue Type: Diner

Restaurant Information Phone: (212) 737-8505

Email Address: steve@piazza86.com

DOS Information
DOS ID#: 5641732

Process Name: 86/2 RESTAURANT LLC

DOS Address: 1633 2nd Avenue, New York, New

York 10028

NYS Liquor Authority Information NYSLA Serial No: 034023139071 License Type: On-Premises

Name of License: 86 2 Restaurant LLC Title of Representative: Member

Name of Certificate Holder: Stavros Nikolalalos

#### **Business** hours

Sun:

12:00 AM- 12:00 AM

Mon:

12:00 AM- 12:00 AM

Tues

12:00 AM- 12:00 AM

Wed:

12:00 AM- 12:00 AM

Thurs:

12:00 AM- 12:00 AM

Fri:

12:00 AM- 12:00 AM

Sat:


12:00 AM- 12:00 AM











#### **SECTION 1: Site Plan**

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

#### **Identify Clear Path Requirements:**

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map.


C1- Global Corridor (12 feet Clear Path)

■ C2- Regional Corridor (10 feet Clear Path)

C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.

#### **Setup Area Identification:**



Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.



# Sidewalk Cafe Site Plan Form

**Applicant Name:** 

86/2 Restaurant LLC

**Restaurant Name:** 

Gracie's

**FSEP Number:** 

50133524

#### **Drawing Requirements**

## Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Length
- Labels

#### Private Property shown as:

Dashed line

#### Street names:

Labels on each street

#### Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

#### Building entrances shown as:

Label

#### Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

## Set-up furniture (tables, chairs, etc.) shown as:

 Lines or symbols at approximate location within setup

## Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:


- Lines or symbols
- Distance from cafe perimeter
- Labels

## Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow


ength of sidewalk cafe: 15	feet	Width of sidewalk cafe:	7	feet		




#### **SECTION 2: Required Clearances**

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from sidewalk cafe:						
S01- Subway Stair: Open End	feet					
Elements with minimum 10 feet clearance from sidewalk cafe:						
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet			
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet			
Elements with minimum 8 feet c	learance from sid	lewalk cafe:				
S06- Street Tree Bed	feet	S13- Newsstand	feet			
S07- Mailbox	feet	S14- Streetlight	feet			
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet			
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet			
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet			
S11- Parking Meter	feet	S18- Traffic Signal	9.3 <sub>feet</sub>			
S12- SBS Fare Machine	feet					
Elements with minimum 5 feet clearance from sidewalk cafe:						
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet			
S19- CitiBike/Bike Share Station S20- Bike Corral	feet	S24- Emergency Exit Hatch S25- Subway Stair: Closed End	feet feet			
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet			
S20- Bike Corral S21- Micromobility Station	feet	S25- Subway Stair: Closed End S26- Subway Elevator: Non-Entry	feet			
S20- Bike Corral S21- Micromobility Station S22- Primary Building Entrance	feet feet feet feet feet	S25- Subway Stair: Closed End S26- Subway Elevator: Non-Entry S27- Siamese Connection	feet			
S20- Bike Corral S21- Micromobility Station S22- Primary Building Entrance S23- Curb Cut	feet feet feet feet feet	S25- Subway Stair: Closed End S26- Subway Elevator: Non-Entry S27- Siamese Connection	feet			
S20- Bike Corral  S21- Micromobility Station  S22- Primary Building Entrance  S23- Curb Cut  Elements with minimum 3 feet c	feet feet feet feet feet feet feet feet	S25- Subway Stair: Closed End S26- Subway Elevator: Non-Entry S27- Siamese Connection    ewalk cafe:   S29- Transformer Vault	feetfeetfeet			
S20- Bike Corral  S21- Micromobility Station  S22- Primary Building Entrance  S23- Curb Cut  Elements with minimum 3 feet comparison of the comparison of th	feet feet feet feet feet feet feet feet	S25- Subway Stair: Closed End S26- Subway Elevator: Non-Entry S27- Siamese Connection    ewalk cafe:   S29- Transformer Vault	feetfeetfeet			





#### **SECTION 3: Material Requirements**

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
  - Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

#### **Materials Checklist:**

#### \*Required\*

#### Perimeter Demarcation (All of the following must be met)

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

#### \*Optional- Only check the material categories you intend to use in your sidewalk cafe\*

#### Furnishings (if using, the first two below must be met)

- Lightweight and easily movable.
- Not affixed to the sidewalk.
- Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar</u> or Basement Door Certification

#### Awnings Physically Attached to the Building (if using, all of the following must be met)

- Minimum 8 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.

#### Overhead Coverings/ Umbrellas (if using, all of the following must be met)

- Minimum 7 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- Any support structures are of sufficient size and strength, made of durable materials, and free of defects.

#### Lighting and Electrical Connections (if using, all of the following must be met)

- Any lighting is outdoor rated, properly secured, and lightweight.
- Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Does not exceed 10 feet in height.
- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.