

COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:	B & B BAGELS			
Cafe Address:	1370 1 AVENUE, NEV	W YORK, NY,	10021	
Application Num	ber: 20240731010002	2		
	ine (on date or next bus	siness day): 0	7/06/2025	
NYCDOT Internal Use Only	/			
Sidewalk Cafe Se	tup Feedback:		Community Board	chooses to WAIVE review
Comments related t	to the cafe's physical footpr i	int and dimensio	ons:	
Comments related t	o pedestrian flow (i.e., visbil	lity, safety , poter	ntial crowding):	
Comments related t	o potential conflicts with ex	isting curb use (i	.e., planters, bike racks, bus sto	ops):
Please check one of the above application		, either approval ,	denial, or approval with modif	ications relating to
Community Boar	rd recommends approval		Community Board recomm	mends denial
Community Boar	rd recommends approval w /	modifications		
Recommended mod	difications (only if approved	w/ modifications	s):	
Applicant ackno	wledges and agrees to mod	ifications relating	to the above referenced appli	cation
			ions relating to the above refe ation of such agreement for NY	

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50122596

Expiration Date: 05/31/2025 DOHMH Status: CURRENT

Business Legal Name: B M BRAND BAGELS LLC

Assumed Name: B & B BAGELS

Business Address: 1370 1 AVENUE, NEW YORK, NY 10021

Venue Type: Restaurant (no bar)

Last updated from DOHMH: 03/27/2025

Restaurant Information

Entity Type: Limited Liability Corporation (LLC)

Phone: (917) 295-3125

Email Address: rcswc1@gmail.com

DOS Information

DOS ID#: 6329928

Process Name: B M Brand Bagels LLC

DOS Address: 1370 1st Avenue, New York, New York 10021

NYS Liquor Authority Information

Establishment serves alcohol: No

User Information

Created By: Jimmy Baig

Created On: 7/31/2024 3:12:07 AM

Modified By: Sulaiman Khan

Modified On: 3/4/2025 1:15:07 PM

Business hours

Sun:

6:00 AM- 6:00 PM

Mon:

6:00 AM- 6:00 PM

Tues:

6:00 AM- 6:00 PM

Wed:

6:00 AM- 6:00 PM

Thurs:

6:00 AM- 6:00 PM


Fri:

6:00 AM- 6:00 PM

Sat:

6:00 AM- 6:00 PM









SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements:

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map.

C1- Global Corridor (12 feet Clear Path)

C2- Regional Corridor (10 feet Clear Path)

(X) C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Setup Area Identification:

Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.

Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.





Sidewalk Cafe Site Plan Form

Applicant Name: BM BRAND BAGELSLLL

Restaurant Name: BAND B BAGELS

FSEP Number: 50122596

Drawing Requirements

Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Length
- Labels

Private Property shown as:

Dashed line

Street names:

Labels on each street

Sidewalk shown as:

Line representing street curb

 Width measured from building line to curb line

Building entrances shown as:

Label

Cafe perimeter shown as:

Lines indicating perimeter

Length and width

Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup

Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:

Lines or symbols


Distance from cafe perimeter


Labels

Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow





SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup. Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

S02- Subway Elevator Entrance feet S04- MTA Curb Cut	Elements with minimum 10 feet clearance from sidewalk cafe:	S01 - Subway Stair: Open Endfeet	Elements with minimum 15 feet clearance from sidewalk cafe:
13'-3", 10'-0" feet			

S07-Mailbox feet S14- Streetlight S16-Fire Hydrant S17-Bus Stop Shelter S15-Bus Stop Pole

8'-0", 9'-2" feet

feet feet feet

8'-0"

feet

feet

X S06- Street Tree Bed

S03-Exhaust Duct

Elements with minimum 8 feet clearance from sidewalk cafe:

feet

S05-FDNY Curb Cut

feet

8'-0" feet

S13- Newsstand

S19- CitiBike/Bike Share Station	Elements with minimum 5 feet clearance from sidewalk cafe:	S12- SBS Fare Machine	S11- Parking Meter	510- E-charging Station	S09- Wayfinding Kiosk	S08- LinkNYC Kiosk	
feet	rance from sid	feet	feet	feet	feet	feet	
S24-Emergency Exit Hatch S25-Subway Stair: Closed End	ewalk cafe:		X S18-Traffic Signal	S17-Bus Stop Shelter	X S16-Fire Hydrant	S15-Bus Stop Pole	

四
¥
E
S
A THE
3
3
ngin
3
ω
m 3 feet o
n
leara
5
nce f
#
3
()
idewa
\$
~

feet feet feet

S27- Siamese Connection

feet feet feet feet

526- Subway Elevator: Non-Entry

S23-Curb Cut

S21- Micromobility Station

S22- Primary Building Entrance

S30- Vent Infrastructure:inches	Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:	S28- Elevated Train Infrastructurefeet S29- Transformer Vault
inch		feet

inches

Check this box if none of the objects listed above are within 15 feet of the proposed setup

grates, subway grates utility vent poles, vent

Cannot
block access building
HALL

•	MINISTER STATES
Cannot block or be attached to fire escape stairs	

SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next checking the box next to the associated requirement. to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Required

Perimeter Demarcation (All of the following must be met)

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.

 Maximum height is 2 feet 6 inches (excluding planting(s)).
- VNot affixed to the sidewalk

Optional- Only check the material categories you intend to use in your sidewalk cafe

_		-	
Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar</u>	Not affixed to the sidewalk.	☑ Lightweight and easily movable.	Trunishings (if using, the first two below must be met)

	Awnings Physically Attac
f th	hed to the Building (
	if using, all of the followin
	ig must be met)

or Basement Door Certification

Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.	Does not extend beyond the perimeter of the sidewalk cafe.	Easily removable, comprised of fire-grade and wind resistant materials,	Minimum 8 feet height from the ground and does not exceed 10 feet height.

L
Ş
er
3
Ž
2
è
ò
Ģ,
۲
9
8
ē
ä
V.
E
ç
5
9
a
5
Ĕ
Ľ
9
O
3
Ē
Ε
Ų,
ć
ř
Ξ
in

 Overnead Coverings/ Umbrelias (it using, all of the following must be met)
Minimum 7 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
Any support structures are of sufficient size and strength, made of durable materials, and free of defects

Lighting and Electrical Connections (if using, all of the following must be met)

Does
not
extend
beyon
교
he
perimeter
of.
the
sidewall
K Ca
Ġ,

the cafe.

Does not exceed 10 feet in height

Not attached to any City property, including street trees.

Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Landmarks Preservation Commission (LPC) as applicable. Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the