



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

Business Name: CAVIAR KASPIA AT THE MARK

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Cafe Location: 992 MADISON AVENUE, NEW YORK, NY, 10075 Application Number: 20241211010002 CB Feedback Deadline (on date or next business day): 6/18/2025 NYCDOT Internal Use Only **Roadway Cafe Setup Comments:** Comments related to the cafe's physical footprint and dimensions: Comments related to **pedestrian flow** (i.e., visbility, safety, potential crowding): Comments related to potential conflicts with existing curb use (i.e., planters, bike racks, bus stops): Overall recommendation for the cafe setup: Suggested modifications related to the above referenced application:

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50135850

Expiration Date: 05/31/2024 DOHMH Status: CURRENT

Business Legal Name: CKPNYC LLC

Assumed Name: CAVIAR KASPIA AT THE MARK

Business Address: 992 MADISON AVE, NEW YORK, NY 10075

Venue Type: Restaurant (with bar)

Last updated from DOHMH: 03/04/2025

Restaurant Information

Entity Type: Limited Liability Corporation (LLC)

Phone: (212) 606-3040

Email Address: caviarkaspia.reservations@themarkhotel.com

DOS Information

DOS ID#: 34933300

Process Name: Thomas A Nocella Jr

DOS Address: 30 Kenswick Lane, Huntington Station, New York 11746

NYS Liquor Authority Information

NYSLA Serial No: 1354339

License Type: On-Premises

Name of License: Nesim Bahar Title of Representative: Owner

Name of Certificate Holder: CKP NYC LLC

Business hours

Sun: 12:00 PM- 11:00 PM

Mon:12:00 PM- 11:00 PM


Tues:12:00 PM- 11:00 PM


Wed:12:00 PM- 11:00 PM

Thurs:12:00 PM- 11:00 PM


Fri:12:00 PM- 11:00 PM


Sat:12:00 PM- 11:00 PM












SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Roadway Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Identify Permitted Parking Location:

- Identify the Parking Sign in front of or around the area where your roadway setup would be located.
 - Roadway cafes can only be placed in:
- P1- Parking Space 1. Parking spaces, which include: metered and non-metered spaces, commercial parking, alternate side parking, angled parking, and seasonally restricted parking.
 - Loading areas, including loading only, truck loading, hotel loading, and no parking zones.
- P3- Floating Parking Lane P2- Loading Area Floating Parking Lane- a parking lane that is separated from the curb by a protected bicycle lane that is adjacent to the curb.





Roadway Cafe Site Plan Form

Restaurant Name: CKPNYC LLC Applicant Name:

Thomas Nocella

50135850

FSEP Number:

Drawing Requirements

Food service establishment frontage

- Line representing the establishment's shown as:
- space facing the sidewalk
 - Length Label

Street names:

Labels on each street

Sidewalk shown as:

Line representing street curb

Roadway shown as:

Width of curbside lane

Cafe perimeter shown as:

- Lines indicating perimeter

Length and width

Set-up furniture (tables, chairs, etc.)

Lines or symbols at approximate shown as:

Elements (in Section 2 of this form) location within setup

within 15 feet of cafe perimeter, shown

- Distance from cafe perimeter Lines or symbols
 - Labels

Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow

feet

 ∞

Width of roadway cafe:

feet

Length of roadway cafe:

7

SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from roadway cafe:	arance from r	padway cafe:	
R01- Subway Stair: Open End	feet	R02- Fire Hydrant	feet
Elements with minimum 10 feet clearance from roadway cafe:	arance from r	oadway cafe:	
R03- Subway Elevator Entrance	feet	R05- MTA Curb Cut	feet
R04- FDNY Curb Cut	feet		
Elements with minimum 5 feet clearance from roadway cafe:	rance from roa	адwау саfe:	
R06- Curb Cut	feet	R11- CitiBike/Bike Share Station	feet
R07- Emergency Exit Hatch	feet	R12- Bike Corral	feet
R08- Subway Stair: Closed End	feet	R13- Micromobility Station	feet
R09- Subway Elevator: Non-Entry	feet	R14- Drainage Infrastructure	feet

Elements with minimum 1 foor and 6 inches clearance from roadway cafe: R16- Transformer Vault R18- Manholes feet feet 24 R17-Vent Infrastructure: utility vent poles, vent grates, subway grates

Elements with minimum 6 inches clearance from roadway cafe:

R19- Thermoplastic Marking

feet

Roadway cafe distance from crosswalks:

R20- Adjacent to

non-approaching side of (min. 8 foot distance) R21- Adjacent to crosswalk

feet ∞ approaching (stopping) (min. 20 foot distance) side of crosswalk

feet feet

curb line of intersecting

(maintain 20 feet from

R22- No crosswalk present

Distance required fro

Check this box if none of the objects listed above are within 15 feet of the proposed setup.

SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your roadway cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements.
 - Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Required

Barriers (All of the following must be met)

- Maintained on all sides of the cafe except the side fronting the ground floor restaurant.
 - Not permanently affixed to the roadway.
- 30-42 inches tall (excluding planting), and at least 4 inches in width
- Barriers are interconnected with each other
- Any cladding over the barriers is securely fastened or affixed.
- Minimum 4 inches wide reflective strip on each barrier on the outward facing side.
 - Water-filled with a minimum of 150 pounds per linear foot of barrier length.

Optional - Only check the material categories you intend to use in your roadway cafe

Flooring (if using, all of the following must be met)

- Durable, lightweight, easily removable, mold-resistant, elevated from the ground level to allow for drainage, and removable to allow for cleaning.
 - Plush with the curb line (except if located on a slope, be flush to the greatest extent feasible), and compliant with applicable accessibility requirements.
 - Maintains a 6 inch covered channel between curb and base of flooring to allow for drainage.

Eurnishings (if using, all of the following must be met)

Lightweight and easily movable

inches

feet

Located between the barrier and 6 feet above the cafe base or floor. Vertical Screenings (if using, all of the following must be met)

- Located on the roadway facing side, does not extend the beyond the perimeter of the roadway cafe, and is not affixed to the outward facing side of barriers.
 - Easily removable, comprised of non-opaque, fire-grade, and wind resistant materials.
- 🔳 If within 50 feet of any regulatory or warning signs, does not exceed 46 inches in height

Overhead Coverings/ Umbrellas (if using, all of the following must be met)

- Minimum of 7 feet and maximum of 10 feet from the base or floor of the roadway cafe.
- Has a weighted base and any support structures are not affixed to the outward facing side of barriers, are of sufficient size and strength, made of durable materials, and free of defects.
 - Easily removable, comprised of fire-grade and wind resistant materials.
- lf within 50 feet of any regulatory or warning signs, does not exceed 46 inches in height.

Lighting and Electrical Connections (if using, all of the following must be met)

- Any lighting is outdoor rated, properly secured, and lightweight.
 - At least 14 feet above sidewalk, and 18 feet above roadway.
- Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Not attached to any City property, including street trees.
 Electrical work complies with the applicable requirement

Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.


SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Roadway Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Identify Permitted Parking Location:

- Identify the Parking Sign in front of or around the area where your roadway setup would be located.
 - Roadway cafes can only be placed in:
- P1- Parking Space 1. Parking spaces, which include: metered and non-metered spaces, commercial parking, alternate side parking, angled parking, and seasonally restricted parking.
 - Loading areas, including loading only, truck loading, hotel loading, and no parking zones. 2 6
- P3- Floating Parking Lane P2- Loading Area Floating Parking Lane- a parking lane that is separated from the curb by a protected bicycle lane that is adjacent to the curb.

NEW YORK CITY Fic Adams Mayor Ydanis Rodriguez Commissioner



Thomas Nocella Restaurant Name: CKPNYC LLC Applicant Name:

50135850

FSEP Number:

Drawing Requirements

Food service establishment frontage

- Line representing the establishment's shown as:
 - space facing the sidewalk
 - Length Label

Street names:

Labels on each street

Sidewalk shown as:

Line representing street curb

Roadway shown as:

Width of curbside lane

- Cafe perimeter shown as:
- Lines indicating perimeter
 Length and width

Set-up furniture (tables, chairs, etc.)

Lines or symbols at approximate

location within setup


within 15 feet of cafe perimeter, shown Elements (in Section 2 of this form)

- Lines or symbols
- Distance from cafe perimeter
 - Labels

Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow



SECTION 2: Required Clearances Please provide distances from the following objects. Only provide a distance if the listed object is within 15 feet of your proposed setup. Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances. Elements with minimum 15 feet clearance from roadway cafe: 15 R01- Subway Stair: Open End feet R02- Fire Hydrant feet Elements with minimum 10 feet clearance from roadway cafe: R03- Subway Elevator Entrance R05- MTA Curb Cut R04- FDNY Curb Cut feet Elements with minimum 5 feet clearance from roadway cafe: R11- CitiBike/Bike Share Station R06- Curb Cut feet R07- Emergency Exit Hatch feet R12- Bike Corral R08- Subway Stair: Closed End R13- Micromobility Station feet feet R09- Subway Elevator: Non-Entry feet R14- Drainage Infrastructure feet R10- Bus Stop Pole: Non-Approaching Side Elements with minimum 3 feet clearance from roadway cafe: R16-Transformer Vault feet R15- Elevated Train Infrastructure feet Elements with minimum 1 foor and 6 inches clearance from roadway cafe: inches R18- Manholes R17- Vent Infrastructure: feet utility vent poles, vent grates, subway grates Elements with minimum 6 inches clearance from roadway cafe: R19- Thermoplastic Marking feet Roadway cafe distance from crosswalks: R20- Adjacent to non-approaching side of crosswalk Distance required Distance required from (min. 8 foot distance) crosswalk on from crosswalk on feet non-approaching side approaching side R21- Adjacent to approaching (stopping) side of crosswalk (min. 20 foot distance) feet R22- No crosswalk present (maintain 20 feet from curb line of intersecting

feet

street)

SECTION 3: Material Requirements

Materials Chacklist

- Please indicate which of the following materials will be part of your roadway cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

Wateria	is directifist.
	Required
Ba	rriers (All of the following must be met)
	Maintained on all sides of the cafe except the side fronting the ground floor restaurant.
	Not permanently affixed to the roadway.
	30-42 inches tall (excluding planting), and at least 4 inches in width.
	Barriers are interconnected with each other.
	Any cladding over the barriers is securely fastened or affixed.
	Minimum 4 inches wide reflective strip on each barrier on the outward facing side.
	Water-filled with a minimum of 150 pounds per linear foot of barrier length.

Optional - Only check the material categories you intend to use in your roadway cafe

Flooring (if using, all of the following must be met)

- Durable, lightweight, easily removable, mold-resistant, elevated from the ground level to allow for drainage, and removable to allow for cleaning.
- Flush with the curb line (except if located on a slope, be flush to the greatest extent feasible), and compliant with applicable accessibility requirements.
- Maintains a 6 inch covered channel between curb and base of flooring to allow for drainage.

Furnishings (if using, all of the following must be met)

Lightweight and easily movable.

Vertical Screenings (if using, all of the following must be met)

- Located between the barrier and 6 feet above the cafe base or floor.
- Located on the roadway facing side, does not extend the beyond the perimeter of the roadway cafe, and is not affixed to the outward facing side of barriers.
- Easily removable, comprised of non-opaque, fire-grade, and wind resistant materials.
- If within 50 feet of any regulatory or warning signs, does not exceed 46 inches in height.

Overhead Coverings/ Umbrellas (if using, all of the following must be met)

- Minimum of 7 feet and maximum of 10 feet from the base or floor of the roadway cafe.
- Has a weighted base and any support structures are not affixed to the outward facing side of barriers, are of sufficient size and strength, made of durable materials, and free of defects.
- Easily removable, comprised of fire-grade and wind resistant materials.
- If within 50 feet of any regulatory or warning signs, does not exceed 46 inches in height.

Lighting and Electrical Connections (if using, all of the following must be met)

- Any lighting is outdoor rated, properly secured, and lightweight.
- At least 14 feet above sidewalk, and 18 feet above roadway.
- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.