



Eric Adams Mayor Ydanis Rodriguez Commissioner

COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: BOTTE UES	
Cafe Address: 1606 1st Ave, New York, NY 10028	
Application Number: 20240730010007	
CB Review Deadline (on date or next business day): 7/19/2025 NYCDOT Internal Use Only	
Sidewalk Cafe Setup Feedback:	Community Board chooses to WAIVE review
Comments related to the cafe's physical footprint and dimensions :	
Comments related to pedestrian flow (i.e., visbility, safety , potential crowdi	ng):
Comments related to potential conflicts with existing curb use (i.e., planters	s, bike racks, bus stops):
Please check one of the recommendations below, either approval , denial , or a <u>the above application</u> :	approval with modifications relating to
Community Board recommends approval	unity Board recommends denial
Community Board recommends approval w/ modifications Recommended modifications (only if approved w/ modifications):	
 Applicant acknowledges and agrees to modifications relating to the above of the Applicant acknowledges BUT does NOT agree with modifications relating this box is checked, please provide NYC DOT with documentation of successful to the above of the Applicant acknowledges and agrees to modifications relating to the above of the Applicant acknowledges and agrees to modifications relating to the above of the Applicant acknowledges and agrees to modifications relating to the above of the Applicant acknowledges and agrees to modifications relating to the above of the Applicant acknowledges and agrees to modifications relating to the above of the Applicant acknowledges and agrees to modifications relating to the above of the Applicant acknowledges and agrees and agrees to modifications relating to the above of the Applicant acknowledges and agrees and agrees to modifications relating to the above of the Applicant acknowledges and agrees are accessible acknowledges. 	g to the above referenced application. If

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50110695 Expiration Date: 04/30/2022 DOHMH Status: CURRENT Business Legal Name: BOTTE CUCINA LLC Assumed Name: BOTTE UES Business Address: 1606 1ST AVE, NEW YORK, NY 10028 Venue Type: Restaurant (with bar) Last updated from DOHMH: 02/26/2025

Restaurant Information

Entity Type: Limited Liability Corporation (LLC) Phone: (212) 207-0052 Email Address: kellymlk136@GMAIL.COM

DOS Information

DOS ID#: 5971597 Process Name: FRANCESCO LAURONI DOS Address: 25-07 BROADWAY, QUEENS, New York 11106


NYS Liquor Authority Information

NYSLA Serial No: 034023139250 License Type: On-Premises Name of License: FRANCESCO LAURONI Title of Representative: LLC MEMBER Name of Certificate Holder: BOTTE CUCINA LLC


Business hours


Sun: 12:00 PM- 10:00 PM Mon: 4:00 PM- 10:00 PM Tues: 4:00 PM- 10:00 PM Wed: 4:00 PM- 10:00 PM Thurs: 4:00 PM- 10:00 PM Fri: 12:00 PM- 11:00 PM Sat: 12:00 PM- 11:00 PM














and the second s
-
-
2
re
rec
red
red
red
red (
red (
red C
red C
red Cl
red Clo
red Cle
red Cle
red Clea
red Clea
red Clea
red Clear
red Clear
red Cleara
red Cleara
red Clearau
red Clearan
red Clearan
red Clearand
red Clearanc
red Clearanc
red Clearance
red Clearance
red Clearance
red Clearances

- Please provide distances from the following objects
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Leave box blank if not applicable.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from sidewalk cafe:	rance from s	idewalk cafe:	
S01- Subway Stair: Open End	feet		
Elements with minimum 10 feet clearance from sidewalk cafe:	rance from s	idewalk cafe:	
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet
Elements with minimum 8 feet clearance from sidewalk cafe:	ince from sic	iewalk cafe:	
S06- Street Tree Bed 8	feet	S13- Newsstand	feet
S07- Mailbox	feet	S14- Streetlight	feet
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet
S09- Wayfinding Klosk	feet	S16- Fire Hydrant	feet
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet
S11- Parking Meter	feet	S18- Traffic Signal	feet
S12-Select Bus Service Fare Machine	feet		
Elements with minimum 5 feet clearance from sidewalk cafe:	nce from sid	ewalk cafe:	
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet
S20-Bike Corral	feet	S25- Subway Stair: Closed End	feet

Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:

feet

S29- Transformer Vault

S28- Elevated Train Infrastructure

Elements with minimum 3 feet clearance from sidewalk cafe:

feet feet

> S26- Subway Elevator: Non-Entry S27- Siamese Connection

S30- Vent Infrastructure inches





SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the thom ments to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Required

Perimeter Demarcation

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

Optional- Only check the material categories you intend to use in your sidewalk cafe

Furnishings

- Lightweight and easily movable
- Not affixed to the sidewalk.

Awnings (Physically attached to the building)

- Minimum 8 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Complies with the New York City Building Code and the requirements of the Landmarks Preservation Commission, as applicable.

Overhead Coverings/ Umbrellas

feet

S23- Curb Cut

S21- Micromobility Station S22- Primary Building Entrance

- Minimum 7 feet height from the ground and does not exceed 10 feet height.
- Excite removable comprised of fire-areads and wind resistant partorials
- Easily removable, comprised of fire-grade and wind resistant materials
- Does not extend beyond the perimeter of the sidewalk cafe.
- The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk
- Any support structures are of sufficient size and strength, made of durable materials, and free of defects

Lighting and Electrical Connections

- Any lighting is outdoor rated, properly secured, and lightweight.
- Connection is directly connected to ground floor restaurant's power source and within the perimeter of
- the cafe.
 Does not extend beyond the perimeter of the sidewalk cafe.
- Construction and and and how were of the one
- Does not exceed 10 feet in height.
- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in the DOT's rules and the New York City Electrical Code.

Please check this box if you are submitting additional documents for review. Documents may include technical drawings prepared by a licensed professional.