



Eric Adams Mayor Ydanis Rodriguez Commissioner

# COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

# DINING OUT NYC

## **COMMUNITY BOARD RECOMMENDATION FORM**

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

| Cafe Address: 1431 1 AVENUE, NEW YORK, NY, 10021  |       |  |  |  |  |
|---|-------|--|--|--|--|
| Application Number: 20250423010002  |       |  |  |  |  |
| CB Review Deadline (on date or next business day): 7/19/25<br>NYCDOT Internal Use Only  |       |  |  |  |  |
| Sidewalk Cafe Setup Feedback: Community Board chooses to WAIVE  | eview |  |  |  |  |
| Comments related to the cafe's <b>physical footprint and dimensions</b> :   |       |  |  |  |  |
| Comments related to <b>pedestrian flow</b> (i.e., visbility, safety , potential crowding):  |       |  |  |  |  |
| Comments related to potential conflicts with <b>existing curb use</b> (i.e., planters, bike racks, bus stops):  |       |  |  |  |  |
| Please check one of the recommendations below, either <b>approval, denial</b> , or <b>approval with modifications</b> <u>relating to</u><br><u>the above application</u> :  |       |  |  |  |  |
| Community Board recommends approval   |       |  |  |  |  |
| Community Board recommends approval w/ modifications  |       |  |  |  |  |
| Recommended modifications ( <b>only if approved w/ modifications</b> ):   |       |  |  |  |  |
| Applicant acknowledges and agrees to modifications relating to the above referenced application   |       |  |  |  |  |
| Applicant acknowledges <b>BUT</b> does <b>NOT</b> agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration. |       |  |  |  |  |

# **RESTAURANT DETAILS**

Food Service Establishment Permit(FSEP) FSEP#: 50166353 Expiration Date: 03/07/2025 DOHMH Status: PENDING APPLICATION Business Legal Name: GNOCCHI HOUSE NEW YORK INC. Assumed Name: GNOCCHI BAR Business Address: 1431 1 AVENUE, NEW YORK, NY 10021 Venue Type: Restaurant (with bar) Last updated from DOHMH: 06/09/2025

## **Restaurant Information**

Entity Type: Corporation Phone: (914) 740-3580 Email Address: KELLYMLK136@GMAIL.COM

## **DOS Information**

DOS ID#: 7525312 Process Name: THE CORPORATION DOS Address: 1431 1ST AVE, NEW YORK, New York 10021

## NYS Liquor Authority Information

NYSLA Serial No: 034025111011 License Type: On-Premises Name of License: ERTON FEJZO Title of Representative: PRESIDENT Name of Certificate Holder: GNOCCHI HOUSE NEW YORK INC

## **Business hours**

Sun: 12:00 PM- 11:00 PM Mon: 12:00 PM- 11:00 PM Tues: 12:00 PM- 11:00 PM Wed: 12:00 PM- 11:00 PM Thurs: 12:00 PM- 11:00 PM Fri: 12:00 PM- 11:00 PM Sat: 12:00 PM- 11:00 PM














#### SECTION 2: Required Clearances


Please provide distances from the following objects.

- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Leave box blank if not applicable.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances.

## Elements with minimum 15 feet clearance from sidewalk cafe:

| S01- Subway Stair: Open End | feet |  |
|-----------------------------|------|--|
|                             |      |  |

| Elements with minimum 10 feet cl                   | earance from si  | dewalk cate:   |      |
|--|------------------|--|------|
|  | feet             | S04- MTA Curb Cut  | feet |
| S02- Subway Elevator Entrance<br>S03- Exhaust Duct | feet             | S05- FDNY Curb Cut   | feet |
| Elements with minimum 8 feet cle                   | erence from sid  | Control of the second s |      |
| Elements with minimum 8 feet cle                   | arance nom sig   | GWAIN DEIG.  |      |
| S06- Street Tree Bed                               | feet             | S13- Newsstand   | feet |
| S07- Mailbox                                       | feet             | S14- Streetlight   | feet |
| S08- LinkNYC Kiosk                                 | feet             | S15- Bus Stop Pole   | feet |
| S09- Wayfinding Kiosk                              | feet             | S16- Fire Hydrant  | feet |
| S10- E-charging Station                            | feet             | S17- Bus Stop Shelter  | feet |
| S11-Parking Meter                                  | feet             | S18- Traffic Signal  | feet |
| S12- Select Bus Service Fare<br>Machine            | feet             |  |      |
| Elements with minimum 5 feet cl                    | earance from sid | dewalk cafe:   |      |
| S19- CitiBike/Bike Share Station                   | feet             | S24- Emergency Exit Hatch  | feet |
| S20- Bike Corral                                   | 8 feet           | S25- Subway Stair: Closed End  | feet |
| S21- Micromobility Station                         | feet             | S26- Subway Elevator: Non-Entry  | feet |
| S22- Primary Building Entrance                     | feet             | S27- Siamese Connection  | feet |
| S23- Curb Cut                                      | feet             |  |      |
| Elements with minimum 3 feet c                     | learance from si | dewalk cafe:   |      |
| S28- Elevated Train Infrastructur                  | e feet           |  |      |
| S29- Transformer Vault                             | feet             |  |      |
| Elements with minimum 1 foot 6                     | inches clearan   | ce from sidewalk cafe elements:  |      |
|  |                  |  |      |





#### SECTION 3: Material Requirements

Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.

Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

#### Materials Checklist:

#### \*Required\*

### Perimeter Demarcation

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

## \*Optional- Only check the material categories you intend to use in your sidewalk cafe\*

#### Furnishings

Lightweight and easily movable.

Not affixed to the sidewalk.

## Awnings (Physically attached to the building)

Minimum 8 feet height from the ground and does not exceed 10 feet height.

Easily removable, comprised of fire-grade and wind resistant materials.

Does not extend beyond the perimeter of the sidewalk cafe.

Complies with the New York City Building Code and the requirements of the Landmarks Preservation Commission, as applicable.

#### Overhead Coverings/ Umbrellas

Minimum 7 feet height from the ground and does not exceed 10 feet height.

Easily removable, comprised of fire-grade and wind resistant materials.

Does not extend beyond the perimeter of the sidewalk cafe.

- The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- Any support structures are of sufficient size and strength, made of durable materials, and free of defects.

#### Lighting and Electrical Connections

Any lighting is outdoor rated, properly secured, and lightweight.

Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.

Does not extend beyond the perimeter of the sidewalk cafe.

Does not exceed 10 feet in height.

- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in the DOT's rules and the New York City Electrical Code.

Please check this box if you are submitting additional documents for review. Documents may include technical drawings prepared by a licensed professional.