



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: LE BILBOQUET			
Cafe Address: 20 EAST 60 STREET, NEW YORK, NY, 10022			
Application Number: 20240802010053			
CB Review Deadline (on date or next business day): 7/19/2025			
NYCDOT Internal Use Only			
Sidewalk Cafe Setup Feedback:	Community Board chooses to WAIVE review		
Comments related to the cafe's physical footprint and dimensions :			
Comments related to pedestrian flow (i.e., visbility, safety , potential crowding):			
Comments related to potential conflicts with existing curb use (i.e., planters, bike racks, bus stops):			
Please check one of the recommendations below, either approval , denial , or approval with modifications <u>relating to the above application</u> :			
Community Board recommends approval	Community Board recommends denial		
Community Board recommends approval w/ modifications			
Recommended modifications (only if approved w/ modifications):			
Applicant acknowledges and agrees to modifications relating to the above referenced application			
Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.			

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50001109

Expiration Date: 06/30/2026 DOHMH Status: CURRENT

Business Legal Name: LE BILBOQUET NY LLC

Assumed Name: LE BILBOQUET

Business Address: 20 EAST 60 STREET, NEW YORK, NY

10022

Venue Type: Restaurant (no bar)

Last updated from DOHMH: 03/20/2025

Restaurant Information

Entity Type: Limited Liability Corporation (LLC)

Phone: (914) 740-3580

Email Address: kellymlk136@GMAIL.COM

DOS Information

DOS ID#: 4248023

Process Name: LE BILBOQUET NY, LLC

DOS Address: 20 E 60TH ST, NEW YORK, New York 10022

NYS Liquor Authority Information

NYSLA Serial No: 034023134889

License Type: On-Premises

Name of License: PHILIPPE DELGRANGE Title of Representative: LLC MEMBER

Name of Certificate Holder: LE BILBOQUET NY LLC

Business hours

Sun:

11:00 AM- 10:00 PM

Mon:

12:00 PM- 10:30 PM

Tues:

12:00 PM- 10:30 PM

Wed:

12:00 PM- 10:30 PM

Thurs:


12:00 PM- 10:30 PM

Fri:

12:00 PM- 10:30 PM


Sat:


12:00 PM- 10:30 PM











SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application. Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements:

- Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map on Open
 - C1- Global Corridor (12 feet Clear Path)
 - C2- Regional Corridor (10 feet Clear Path)
- C3- Neighborhood Corridor (8 feet Clear Path)

 C4- Community Connector (8 feet Clear Path)

 C5- Baseline Street (8 feet Clear Path)

Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.

Setup Area Identification:

- Please check this box if you plan to have outdoor dining located within private property. If so, indicate the property line in the site plan drawing below.

 Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing

STORY OF THE REAL PROPERTY OF THE PERTY OF T Sidewalk Cafe

Site Plan Form LE BILBOQUET NY ELC

Restaurant Name: Le Bilboquet

Applicant Name:

50001109

FSEP Number:

Food service establishment frontage shown by: **Drawing Requirements**

Line representing space occupied in building Labels

Street names:
Labels on each street

Sidewalk shown as:
Line representing street curb
Width measured from building line to

Primary building entrance shown as:

Label curb line

PROPERTY

Distance from proposed setup

Cafe perimeter shown as:
 Line

Length and width
——(Dashed line) representing
Private Property Line

Set-up furniture (tables, chairs, etc.) shown as:

30" MAX HEIGHT STANCHION & ROPE

NN

8'-9"

6'-4"

44'-1"

13-8

6'-10"

SERVICE

2

SERVICE

60

NN

SERVICE

2 2

2'-10"

STREET

manhole

Sweden's

CELLAR DOORS TO BE -CLOSED, LOCKED, AND REINFORCED DURING CAFE OPERATION

Length of sidewalk cafe: 44.1

Width of sidewalk cafe: 2.8

E 60TH ST

STREET

PROPERTY

PRIVATE -PROPERTY LINE

EXG

EXG RESTAURANT 20 E 60TH ST NY, NY 10022

44'-1"

Restavant

Frontage

EXG

Lines or symbols at approximate location within setup

Sidewalk elements or objects shewn as:
Lines or symbols
Labels

10'-0"

Distance from cafe perimeter

SECTION 2: Required Clearances

- Please provide distances from the following objects.

 Only provide a distance if the listed object is within 15 feet of your proposed setup Leave box blank if not applicable.

	Elements with minimum 10 feet clearance from sidewalk cafe:
	S01-Subway Stair: Open End feet
7	Elements with minimum 15 leet clearance from sidewalk cafe:
ances.	Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

S02-Subway Elevator Entrance S03-Exhaust Duct feet S04- MTA Curb Cut

S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet
ments with minimum 8 feet clearance from sidewalk cafe:	rance from sid	ewalk cafe:	
S06- Street Tree Bed	feet	S13- Newsstand	feet
S07- Mailbox	feet	S14- Streetlight	feet
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet
S11-Parking Meter	feet	S18- Traffic Signal	feet

S12- Select Bus Service Fare Machine Elements with min feet

S19- CitiBike/Bik

		feet	1
feet	S27- Siamese Connection	feet	Iding Entrance
feet	S26- Subway Elevator: Non-Entry	feet	ty Station
feet	S25- Subway Stair: Closed End	feet	1
feet	S24- Emergency Exit Hatch	feet	e Share Station
,	action control		minding of contraction of the co

Elements with minimum 3 feet clearance from sidewalk cafe:

S23- Curb Cut S22- Primary Bui S21-Micromobil S20-Bike Corral

10000	100
S29-	S28-
Transformer Vault	S28- Elevated Train Infrastructure
feet	feet

Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:





SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.

 Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

aterials Checklist:

Perimeter Demarcation

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
 Not affixed to the sidewalk.

Optional- Only check the material categories you intend to use in your sidewalk cafe

Furnishings

- Lightweight and easily movable
- Not affixed to the sidewalk

Awnings (Physically attached to the building)

- Minimum 8 feet height from the ground and does not exceed 10 feet height
- Easily removable, comprised of fire-grade and wind resistant materials.
 Does not extend beyond the perimeter of the sidewak cafe.
- Compiles with the New York City Building Code and the requirements of the Landmarks Commission, as applicable.

Overhead Coverings/ Umbrellas

- Easily removable, comprised of fire-grade and wind resistant materials. Minimum 7 feet height from the ground and does not exceed 10 feet height
- Does not extend beyond the perimeter of the sidewalk cafe.
- The umbrella/overhead covering has a weighted base and any supports are not affixed to
- Any support structures are of sufficient size and strength, made of durable materials, and free of defects

Lighting and Electrical Connections

- Any lighting is outdoor rated, properly secured, and lightweight
- Connection is directly connected to ground floor restaurant's power source the cafe. and within the
- Does not extend beyond the perimeter of the sidewalk cafe
- Does not exceed 10 feet in height.
- Not attached to any City property, including street trees
- Electrical work complies with the applicable requirements set forth in the DOT's rules and the New York City Electrical Code.
- Please check this box if you are submitting additional documents for review. Doc drawings prepared by a licensed professional.