



Eric Adams Mayor Ydanis Rodriguez Commissioner

COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: The Tool Box					
Cafe Address: 1742 2 AVENUE, NEW YORK, NY, 10128					
Application Number: 20240802010039					
CB Review Deadline (on date or next business day): 07/19/2025					
NYCDOT Internal Use Only					
Sidewalk Cafe Setup Feedback: Community Board chooses to WAIVE review					
Comments related to the cafe's physical footprint and dimensions :					
Comments related to pedestrian flow (i.e., visbility, safety , potential crowding):					
Comments related to potential conflicts with existing curb use (i.e., planters, bike racks, bus stops):					
Please check one of the recommendations below, either approval , denial , or approval with modifications <u>relating to</u> <u>the above application</u> :					
Community Board recommends approval					
Community Board recommends approval w/ modifications					
Recommended modifications (only if approved w/ modifications):					
Applicant acknowledges and agrees to modifications relating to the above referenced application					
Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.					

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP) FSEP#: 41470760 Expiration Date: 02/28/2026 DOHMH Status: CURRENT Business Legal Name: MAB BAR INC. Assumed Name: THE TOOL BOX Business Address: 1742 2 AVENUE, NEW YORK, NY 10128 Venue Type: Pub/Gastropub Last updated from DOHMH: 03/11/2025

Restaurant Information

Entity Type: Corporation Phone: (212) 348-1288 Email Address: mabbarinc@aol.com

DOS Information

DOS ID#: 3751076 Process Name: MAB BAR INC. DOS Address: 1742 2nd Avenue, New York City, New York 10128

NYS Liquor Authority Information

NYSLA Serial No: 034021119233 License Type: On-Premises Name of License: MAB BAR INC Title of Representative: President Name of Certificate Holder: Mark Bleier


Business hours


Sun: 3:00 PM- 4:00 AM Mon: 4:00 PM- 2:00 AM Tues: 4:00 PM- 2:00 AM Wed: 4:00 PM- 2:00 AM Thurs: 4:00 PM- 2:00 AM Fri: 4:00 PM- 4:00 AM Sat: 3:00 PM- 4:00 AM














2nd Avenue

 SECTION 2: Required Clearances Please provide distances from the following objects. Only provide a distance if the listed object is within 15 feet of your proposed setup. Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances. 				 SECTION 3: Material Requirements Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement. Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials. 	
S01- Subway Stair: Open Endfeet				Materials Checklist:	
Elements with minimum 10 feet cle	arance from	sidewalk cafe:		*Required*	
	feet	S04- MTA Curb Cut	feet	Perimeter Demarcation (All of the following must be met)	
S02- Subway Elevator Entrance S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet	Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.	
Elements with minimum 8 feet clear	rance from si	dewalk cafe:		Maximum height is 2 feet 6 inches (excluding planting(s)).	
	10 feet	S13- Newsstand	feet	Not affixed to the sidewalk.	
S06- Street Tree Bed	feet	S14- Streetlight	feet		
S07- Mailbox —	feet	S15- Bus Stop Pole	feet	*Optional- Only check the material categories you intend to use in your sidewalk cafe*	
S08- LinkNYC Kiosk	feet	S16- Fire Hydrant	feet	The state of the state the first two below must be method.	
509- Wayfinding Kiosk	feet	S17- Bus Stop Shelter	feet	 Eurnishings (if using, the first two below must be met) Lightweight and easily movable. 	
S10- E-charging Station	feet	S18-Traffic Signal	feet	A	
S11- Parking Meter — S12- SBS Fare Machine —	feet			Not affixed to the sidewalk.	
Elements with minimum 5 feet clean	rance from si	dewalk cafe:		or Basement Door Certification	
BOAL A			feet	Awnings Physically Attached to the Building (if using, all of the following must be met)	
519- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet	Minimum 8 feet height from the ground and does not exceed 10 feet height.	
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet	Easily removable, comprised of fire-grade and wind resistant materials.	
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry		Does not extend beyond the perimeter of the sidewalk cafe.	
S22- Primary Building Entrance	feet	S27- Siamese Connection	feet	Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.	
Elements with minimum 3 feet clea	rance from si	dewalk cafe		Overhead Coverings/ Umbrellas (if using, all of the following must be met)	
				Minimum 7 feet height from the ground and does not exceed 10 feet height.	
S28- Elevated Train Infrastructure	feet	S29-Transformer Vault	feet	Easily removable, comprised of fire-grade and wind resistant materials.	
Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:				Does not extend beyond the perimeter of the sidewalk cafe.	
530- Vent Infrastructure:	incher S21 Manholes	S31- Manholes	inches	The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.	
utility vent poles, vent grates, subway grates	inches	531- Mannoles		Any support structures are of sufficient size and strength, made of durable materials, and free of defects.	
Check this box if none of the objects listed above are within 15 feet of the proposed setup.				Lighting and Electrical Connections (if using, all of the following must be met)	
Check this box in home of the objects listed above are within 15 feet of the proposed setup.				Any lighting is outdoor rated, properly secured, and lightweight.	
	1			Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.	
Cannot block access to building				Does not extend beyond the perimeter of the sidewalk cafe.	
				Does not exceed 10 feet in height.	
				Not attached to any City property, including street trees.	
the second			m Brith m	Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from th Landmarks Preservation Commission (LPC) as applicable.	
Section Section 1.		A straight and a stra			

4