



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:					
Cafe Address:					
Application Number:					
CB Review Deadline (on date or next business day): NYCDOT Internal Use Only					
Sidewalk Cafe Setup Feedback:	Community Board chooses to WAIVE review				
Comments related to the cafe's physical footprint and dimension					
Comments related to pedestrian flow (i.e., visbility, safety , potent	tial crowding):				
Comments related to potential conflicts with existing curb use (i.e.	e., planters, bike racks, bus stops):				
Please check one of the recommendations below, either approval , the above application:	denial, or approval with modifications relating to				
Community Board recommends approval	Community Board recommends denial				
Community Board recommends approval w/ modifications					
Recommended modifications (only if approved w/ modifications)):				
Applicant acknowledges and agrees to modifications relating Applicant acknowledges BUT does NOT agree with modification this box is checked, please provide NYC DOT with documentary	ions relating to the above referenced application. If				

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50130559

Expiration Date: 12/31/2025 DOHMH Status: CURRENT

Business Legal Name: ASHHILL INC.

Assumed Name: RAVEN PUB

Business Address: 1471 1 AVENUE, NEW YORK, NY 10075

Venue Type: Restaurant (with bar) Last updated from DOHMH: 07/14/2025

Restaurant Information

Entity Type: Corporation Phone: (646) 707-3030

Email Address: kellymlk136@GMAIL.COM

DOS Information

DOS ID#: 5703041

Process Name: BLAKE DILLON

DOS Address: 1471 1ST AVE, NEW YORK, New York 10075

NYS Liquor Authority Information

NYSLA Serial No: 034022110005

License Type: On-Premises

Name of License: BLAKE DILLON Title of Representative: PRESIDENT


Name of Certificate Holder: ASHHILL INC

Business hours

Sun: 12:00 PM- 4:00 AM Mon: 2:00 PM- 4:00 AM Tues: 2:00 PM- 4:00 AM Wed: 2:00 PM- 4:00 AM Thurs: 2:00 PM- 4:00 AM Fri: 2:00 PM- 4:00 AM Sat: 12:00 PM- 4:00 AM

SECTION 1: Site Plan

- · This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- · Fiefer to the How to Apply page in the Dining Out NYC website for more information about the application process.



Setup Area Identification: Please check this box if you plan to have outdoor dining located within private property. If so, indicate the property line in the site plan drawing below. Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area developed pursuant to the NYC Zoning.

Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.





Sidewalk Cafe Site Plan Form

Applicant Name:


ASHHILL INC

Restaurant Name:

The Raven

FSEP Number:

50130559



Food service establishment frontage shown by:

- Line representing space occupied in building
- Labels

Street names:

· Labels on each street

Sidewalk shown as:

- · Line representing street curb
- Width measured from building line to curb line

Primary building entrance shown as:

- Lahe
- Distance from proposed setup

Cafe perimeter shown as:

- Line
- · Length and width
- --- (Dashed line) representing Private Property Line

Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup

Sidewalk elements or objects shown as:


- Lines or symbols
- Labels
- Distance from cafe perimeter

Utility coverings shown as:

 Symbols representing the approximate shape of the covering within the setup

Q MANHOLE COVER

☑ UTILITY COVERING



SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- · Leave box blank if not applicable.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet cle	earance	e from sic	dewalk ca	ite:		
S(11 · Subway Stair: Open End		_feet				
Elements with minimum 10 feet cl	earance	e from sid	dewalk ca	fe:		
S(12- Subway Elevator Entrance _		_feet	S04-	MTA Curb Cut	fee	t
S03- Exhaust Duct		_feet	S05-	FDNY Curb Cut	fee	t
Elements with minimum 8 feet clea	arance	from side	ewalk caf	e:		
S(16- Street Tree Bed	8	feet	S13-	Newsstand	fee	t
S(17- Mailbox		feet	S14-	Streetlight	fee	it
S(18- LinkNYC Kiosk		feet	S15-	Bus Stop Pole	fee	et .
S09- Wayfinding Kiosk		_feet	S16-	Fire Hydrant	fee	t
S10- E-charging Station		feet	S17-	Bus Stop Shelter	fee	et
S11 · Parking Meter		feet	S18-	Traffic Signal	fee	t
S12- Select Bus Service Fare Machine		feet		A STATE OF THE STA		
Elements with minimum 5 feet cle	earance	from sid	ewalk cat	fe:		
S19- CitiBike/Bike Share Station		feet	S24-	Emergency Exit Hatch	fee	t
S2:0- Bike Corral	10	feet	S25-	Subway Stair: Closed End	fee	et
S21 · Micromobility Station		feet	S26-	Subway Elevator: Non-Entry	fee	rt .
S22- Primary Building Entrance		feet	S27-	Siamese Connection	fee	rt
S23- Curb Cut		feet				
Elements with minimum 3 feet cle	earance	from sid	lewalk car	fe:		
S28- Elevated Train Infrastructure	3	feet				
S2:9- Transformer Vault		feet				
Elements with minimum 1 foot 6 i	inches o	elearance	from sid	ewalk cafe elements:		
S30-Vent Infrastructure		inches				
Cannot block access				Cannot block or		





SECTION 3: Material Requirements

drawings prepared by a licensed professional.

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next
 to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by
 checking the box next to the associated requirement.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

	Required				
Perimeter Demarcati	ion				
Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.					
Maximum heigh Not affixed to the	nt is 2 feet 6 inches (excluding planting(s)). ne sidewallc				
Optional- 0	nly check the material categories you intend to use in you	r sidewalk cafe			
Furnishings					
Lightweight and	l easily movable.				
Not affixed to the	ne sidewalk.				
Awnings (Physically	attached to the building)				
Minimum 8 feet	theight from the ground and does not exceed 10 feet heigh	nt.			
Easily removabl	e, comprised of fire-grade and wind resistant materials.				
Does not extend	beyond the perimeter of the sidewalk cafe.				
Complies with to Commission, as	he New York City Building Code and the requirements of the applicable.	ne Landmarks Preservation			
Overhead Coverings,	/ Umbrell:as				
Minimum 7 feet	height from the ground and does not exceed 10 feet heigh	nt.			
Easily removabl	le, comprised of fire-grade and wind resistant materials.				
Does not extend	d beyond the perimeter of the sidewalk cafe.				
The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewo					
Any support str	uctures are of sufficient size and strength, made of durable	e materials, and free of defect			
Lighting and Electric	al Connections				
Any lighting is o	outdoor rated, properly secured, and lightweight.				
Connection is di the cafe.	irectly connected to ground floor restaurant's power source	e and within the perimeter of			
Does not extend	d beyond the perimeter of the side walk cafe.				
Does not exceed	d 10 feet in height.				
Not attached to	ary City property, including street trees.				
Electrical work of City Electrical C	complies with the applicable requirements set forth in the l code.	DOT's rules and the New York			









