



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:				
Cafe Address:				
Application Number:				
CB Review Deadline (on date or next bus	siness day):			
Sidewalk Cafe Setup Feedback:		Community Board o	chooses to WAIVE review	
Comments related to the cafe's physical footpr	int and dimension	ons:		
Comments related to pedestrian flow (i.e., visbi	lity, safety , pote	ntial crowding):		
Comments related to potential conflicts with ex	isting curb use (.e., planters, bike racks, bus sto	ops):	
Please check one of the recommendations below the above application:	v, either approval	denial, or approval with modif	ications relating to	
Community Board recommends approval		Community Board recomm	nends denial	
Community Board recommends approval w/ modifications				
Recommended modifications (only if approved	w/ modification	s):		
Applicant acknowledges and agrees to mod Applicant acknowledges BUT does NOT agr this box is checked, please provide NYC DO	ee with modifica	ions relating to the above refe	renced application. If	

RESTAURANT DETAILS

FSEP#: 40379920

Expiration Date: 06/30/2026 DOHMH Status: CURRENT

Business Legal Name: E.A.T. IS OWNED BY ELI ZABAR INC.

Assumed Name: E.A.T. CAFE

Business Address: 1064 MADISON AVENUE, NEW YORK, NY 10028

Venue Type: Restaurant (with bar) Last updated from DOHMH: 07/21/2025

Restaurant Information Entity Type: Corporation

Employer Identification Number: 13-2748251

Phone: (212) 772-0022

Email Address: KELLYMLK136@GMAIL.COM

Emergency Contact Information

First Name: Theo

Last Name: Toumazatos Phone: (212) 772-2011

Email Address: theot@elizabar.com

DOS Information DOS ID#: 261418

Process Name: THEO TOUMAZATOS

DOS Address: 426 EAST 91ST STREET 2ND FLOOR, NEW YORK, New York 10128

NYS Liquor Authority Information

NYSLA Serial No: 1030204 License Type: Off-Premises Name of License: ELI ZABAR

Title of Representative: PRESIDENT

Name of Certificate Holder: EAT IS OWNED BY ELI ZABAR INC

User Information

Created By: Michael Kelly

Created On: 7/31/2024 10:48:56 AM Modified By: Jayson Valderrama Modified On: 3/7/2025 9:39:12 AM

Business hours

Sun:

8:00 AM- 5:00 PM

Mon:

8:00 AM- 6:00 PM

Tues:

8:00 AM- 6:00 PM

Wed:

8:00 AM- 6:00 PM

Thurs:

8:00 AM- 6:00 PM

Fri:

8:00 AM- 6:00 PM

Sat:

8:00 AM- 6:00 PM











SECTION 1: Site Plan

Data

- · This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application
- Refer to the Ham to Apply page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements:

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan an Open

C1- Global Corridor (12 feet Clear Path)

- X C2- Regional Corridor (10 feet Clear Path)
 - C3- Neighborhood Corridor (8 feet Clear Path)
- C4- Community Connector (8 feet Clear Path)
- C5- Baseline Street (8 feet Clear Path)

Setup Area Identification

Please check this box if you plan to have outdoor dining located Eat 1 sourced by Eli Zabar the within private property. If so, indicate the property line in the site

plan drawing below.

Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution If so, indicate the property line in the site plan drawing below.

Sidewalk Cafe

Site Plan Form

Applicant Name

Restaurant Name: EAT

403799.21

FSEP Number

Drawing Requirements

Food service establishment frontage shown by:

- Line representing space occupied in building
- Labels

Street names

Labels on each street

Sidewalk shown as

- · Line representing street ourb
- · Width measured from building are to curb line

Primary building entrance shown as:

- · Label
- Distance from proposed setur.

Care perimeter shown as

- · Line
- · Length and width
- · (Dashed line) representing Private Property Line

Set-up furniture (tables, chairs, etc.) shown as

· Lines or symbols at approximate location within setup.

Sidewalk elements or objects shown as


- Lines or symbols
- · Labels
- · Distance from cafe perimeter

Utility coverings shown as:

· Symbols representing the approximate shape of the covering within the setup

MANHOLE COVER

TO UTILITY COVERING



SECTION 2: Required Clearances

- · Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- · Leave box blank if not applicable.
- Refer to the <u>Setuo Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from sidewalk cafe:				
S01- Subway Stair: Open End	feet			
Elements with minimum 10 feet clearance from sidewalk cafe:				
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet	
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet	
Elements with minimum 8 feet clearance from sidewalk cafe:				
S06- Street Tree Bed	feet	S13- Newsstand	feet	
S07- Mailbox	feet	S14- Streetlight	feet	
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet	
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet	
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet	
S11- Parking Meter	feet	S18- Traffic Signal	feet	
S12- Select Bus Service Fare Machine	feet			
Elements with minimum 5 feet clearance from sidewalk cafe:				
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet	
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet	
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entryfeet		
S22- Primary Building Entrance	feet	S27- Siamese Connection feet		
S23- Curb Cut	feet			
Elements with minimum 3 feet clearance from sidewalk cafe:				
S28- Elevated Train Infrastructure	e feet			
S29-Transformer Vault	feet			
Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:				
S30- Vent Infrastructure	inches			
	1.3 (1)		Chi da da sana ya mayana ya ya ya sana da da Sana da s	
Sannot block access		Cannot block or		

SECTION 3: Material Requirements

drawings prepared by a licensed professional.

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Required
Perimeter Demarcation
Perimeter demarcation must be clear and visible by using a light weight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
Maximum height is 2 feet 6 inches (excluding planting(s)).
Not affixed to the sidewalk.
Ontional- Only check the material categories you intend to use in your sidewalk cafe.
Furnishings
Lightweight and easily movable.
Not affixed to the sidewalk.
Vawnings (Physically attached to the building)
Minimum 8 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
Complies with the New York City Building Code and the requirements of the Landmarks Preservation Commission, as applicable.
Overhead Coverings/ Umbrellas
Minimum 7 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
Lighting and Electrical Connections
Any lighting is outdoor rated, properly secured, and lightweight.
Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
Does not extend beyond the perimeter of the sidewalk cafe.
Choes not exceed 10 feet in height.
Not/attached to any City property, including street trees.
Electrical work complies with the applicable requirements set forth in the DOT's rules and the New York City Electrical Code.
Please check this box if you are submitting additional documents for review. Documents may include technical