



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:	THE FIVE LAMPS				
Cafe Address: 1586 YORK AVENUE, NEW YORK, NY, 10028					
Application Numl	ber: 20240803010070				
	ine (on date or next busine	ess day): 8/30/2025			
NYCDOT Internal Use Only					
Sidewalk Cafe Se		Community Board chooses to WAIVE review			
Comments related to	o the cafe's phyśical footprint a	nd dimensions:			
Comments related to	o pedestrian flow (i.e., visbility, s	safety , potential crowding):			
Comments related to potential conflicts with existing curb use (i.e., planters, bike racks, bus stops):					
Please check one of t the above application		her approval, denial, or approval with modifications relating to			
Community Boar	d recommends approval	Community Board recommends denial			
Community Board recommends approval w/ modifications					
Recommended modifications (only if approved w/ modifications):					
Applicant acknowledges and agrees to modifications relating to the above referenced application					
Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.					

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50088224

Expiration Date: 01/31/2026 DOHMH Status: CURRENT

Business Legal Name: FINGAL LLC Assumed Name: THE FIVE LAMPS

Business Address: 1586 YORK AVENUE, NEW YORK, NY 10028

Venue Type: Bar/Tavern/Lounge

Last updated from DOHMH: 03/31/2025

Restaurant Information

Entity Type: Limited Liability Corporation (LLC)

Phone: (646) 684-4022

Email Address: thefivelamps1@gmail.com

DOS Information

DOS ID#: 5410566

Process Name: Fingal LLC

DOS Address: 1586 York Avenue, New York, New York 10028

NYS Liquor Authority Information

NYSLA Serial No: 1314046 License Type: On-Premises Name of License: Fingal LLC

Title of Representative: Managing Partner Name of Certificate Holder: David Carrick

User Information

Created By: David Carrick

Created On: 7/31/2024 1:23:49 PM

Modified By: Sulaiman Khan

Modified On: 4/1/2025 4:49:03 PM

Business hours

Sun:

12:00 PM- 2:00 AM

Mon:

12:00 PM- 2:00 AM

Tues:

12:00 PM- 2:00 AM

Wed:

12:00 PM- 2:00 AM

Thurs:

12:00 PM- 2:00 AM

Fri:

12:00 PM- 3:00 AM


Sat:

12:00 PM- 3:00 AM









SECTION 1: Site Plan

- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Identify Clear Path Requirements:

Clear path requirement for your sidewalk cafe can be Pedestrian Mobility Plan corridor type on the DOT's found by identifying your Pedestrian Demand Map

- C1- Global Corridor (12 feet Clear Path)
- C2- Regional Corridor (10 feet Clear Path)
- C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.

Setup Area Identification:

- Please check this box if you plan to have outdoor dining located request records from your property owner/manager. partially within private property. If you are uncertain, please
- Please check this box if all or part of your sidewalk cafe is in a Resolution. If so, indicate the property line in the site plan drawing sidewalk widening area, developed pursuant to the NYC Zoning

Restaurant Name: Applicant Name: FNGA1 LLC 50088224 THE FINE LAMPS

Site Plan Form Sidewalk Cafe

NAME OF COLUMN

Correspondent

Drawing Requirements

FSEP Number:

shown by: Food service establishment frontage

- Line representing the establishment's
- Length space facing the sidewalk
- Labels
- Private Property shown as:

Street names: Dashed line


Labels on each street

Sidewalk shown as:

Line representing street curb

- Width measured from building line to curb line
- Building entrances shown as:
- Label
- Cafe perimeter shown as: Lines indicating perimeter
- Length and width
- Set-up furniture (tables, chairs, etc.) shown as:
- Lines or symbols at approximate location within setup
- within 15 feet of cafe perimeter, shown Elements (in Section 2 of this form)
- Distance from cafe perimeter Lines or symbols
- Labels
- Utility coverings (water/gas valves, and pull boxes) shown as:
- Symbols representing the location within the setup

North arrow



SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances

- 000	
18.5	
- 60	
- 180	
3	
Z	
5	
ann.	
3	
-	
March 1	
-	
-	
mum	
-	
md	
OI	
feet	
8	
=3	
£3	
0	
197	
mile	
-	
-	
w	
MO.	
-4	
DA.	
mi.	
= "	
EL.	
-	
0	
-	
39	
55	
mi	
100	
=	
20"	
2.4	
46	
E)	
Bis .	
100	
7	
m"	
ELD .	
9.4	

S01- Subway	
Stair	
Open	
End	
feet	

Elements with minimum 10 feet clearance from sidewalk cafe:

503	202	
- Exhaust Duct	Subway Elevator Entrance	
feet	feet	
S05- FDNY Curb Cut	S04- MTA Curb Cut	
feet	feet	

Elements with minimum 8 feet clearance from sidewalk cafe:

C17 CBC F 14	511- Parking Meter	S10- E-charging Station	509- Wayfinding Klosk	SOB- LinkNYC Klosk	S07- Mailbox	S06- Street Tree Bed	
foot	feet	feet	feet	feet	feet	q feet	
	S18- Traffic Signal	S17- Bus Stop Shelter	S16- Fire Hydrant	S15- Bus Stop Pole	S14- Streetlight	S13- Newsstand	
	feet	feet	feet	feet	blo feet	feet	

Elements with minimum 5 feet clearance from sidewalk cafe:

S23- Curb Cut	S22- Primary Building Entrance	S21- Micromobility Station	S20- Bike Corral	519- CriBike-Bike Share Station
feet	feet	feet	feet	feet
	S27- Siamese Connection	526- Subway Elevator: Non-Entry	S25- Subway Stair: Closed End	S24- Emergency Exit Hatch
	feet	feet	feet	feet

Elements with minimum 3 feet clearance from sidewalk cafe:

S30- Vent Infrastructure: inches S31- Manholes	Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:	S28- Elevated Train Infrastructurefeet S29- Transformer Vault
inches		feet

Check this box if nane of the objects listed above are within 15 feet of the proposed setup.

grates, subway grates





SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials

Materials Checklist:

Required

Perimeter Demarcation (All of the following must be met)

Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.

- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

Optional- Only check the material categories you intend to use in your sidewalk cafe

Furnishings (if using, the first two below must be met)

- Lightweight and easily movable.
- Not affixed to the sidewalk.
- Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar</u> or <u>Basement Door Certification</u>

Awnings Physically Attached to the Building (if using, all of the following must be met)

- Minimum 8 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Complies with the New York City Building Code. Please note that this may require additional permits from DOB and/or approval from the Landmarks Preservation Commission (LPC) as applicable.

Overhead Coverings/ Umbrellas (if using, all of the following must be met)

- Minimum 7 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- \angle Any support structures are of sufficient size and strength, made of durable materials, and free of defects.

Lighting and Electrical Connections (if using, all of the following must be met)

- Any lighting is outdoor rated, properly secured, and lightweight
- Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Does not exceed 10 feet in height.
- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.