



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: E	at Here Now				
Cafe Address: 8	339 LEXINGTON AVENUE	E, NEW YORK, NY, 10065			
Application Numbe	r: 20240731010128				
CB Review Deadline NYCDOT Internal Use Only	e (on date or next business	s day): 10/25/2025			
Sidewalk Cafe Setup Feedback:		Community Board chooses to W	AIVE review		
Comments related to the	he cafe's physical footprint and	l dimensions:			
Comments related to p	edestrian flow (i.e., visbility, saf	fety , potential crowding):			
Comments related to p	otential conflicts with existing of	curb use (i.e., planters, bike racks, bus stops):			
Please check one of the recommendations below, either approval , denial , or approval with modifications <u>relating to the above application</u> :					
Community Board r	ecommends approval	Community Board recommends denial			
Community Board recommends approval w/ modifications					
Recommended modific	cations (only if approved w/ mo	odifications):			
Applicant acknowledges and agrees to modifications relating to the above referenced application					
Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.					

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 41092403

Expiration Date: 03/31/2026 DOHMH Status: CURRENT

Business Legal Name: DCK TRADING CORP.

Assumed Name: EAT HERE NOW

Business Address: 839 LEXINGTON AVENUE, NEW YORK, NY 10065

Venue Type: Restaurant (no bar)

Last updated from DOHMH: 09/15/2025

Restaurant Information Entity Type: Corporation

Employer Identification Number: 20-1928071

Phone: (212) 751-0724

Email Address: elamrousi@hotmail.com Principal Place of Business Address

Address:

Emergency Contact Information

First Name: medhat Last Name: mohamed Phone: (917) 747-6188

Email Address: elamrousi@gmail.com

DOS Information DOS ID#: 3119726

Process Name: medhat mohamed

DOS Address: 6405 211 Street, flushing, New York 11364

DOS Legal Name:

NYS Liquor Authority Information Establishment serves alcohol: No

User Information

Created By: medhat mohamed Created On: 7/31/2024 9:27:57 PM

Modified By: Julia McBride

Modified On: 8/15/2025 3:54:31 PM

Business hours

Sun:

7:00 AM- 5:00 PM

Mon:

7:00 AM- 5:00 PM

Tues:

7:00 AM- 5:00 PM

Wed:

7:00 AM- 5:00 PM

Thurs:

7:00 AM- 5:00 PM

Fri:

7:00 AM- 5:00 PM

Sat.

7:00 AM- 5:00 PM]











SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements:

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map.

C1- Global Corridor (12 feet Clear Path)

C2- Regional Corridor (10 feet Clear Path)

C3- Neighborhood Corridor, Community Connector, or Baseline **Street (8 feet Clear Path)**

Setup Area Identification:

- Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.
- Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing





Sidewalk Cafe Site Plan Form

Applicant Name:

Medhat Mohamed EAT HERE NOW

Restaurant Name:

41092403

FSEP Number:

Drawing Requirements

Food service establishment frontage shown by:

- · Line representing the establishment's space facing the sidewalk
- Length
- Labels

Private Property shown as:

Dashed line

Street names:

Labels on each street

Sidewalk shown as:

- Line representing street curb
- Width measured from building line to

Building entrances shown as:

Label

Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup


Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown

- Lines or symbols
- Distance from cafe perimeter

Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow




SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from sidewalk cafe:					
S01- Subway Stair: Open End	feet				
Elements with minimum 10 feet clearance from sidewalk cafe:					
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet		
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet		
Elements with minimum 8 feet clearance from sidewalk cafe:					
S06- Street Tree Bed	feet	S13- Newsstand	feet		
S07- Mailbox	feet	S14- Streetlight	feet		
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet		
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet		
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet		
S11- Parking Meter	feet	S18- Traffic Signal	feet		
S12- SBS Fare Machine	feet				
Elements with minimum 5 feet clearance from sidewalk cafe:					
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet		
S20- Bike Corral	5 feet	S25- Subway Stair: Closed End	feet		
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet		
S22- Primary Building Entrance	feet	S27- Siamese Connection	feet		
S23- Curb Cut	feet				
Elements with minimum 3 feet clearance from sidewalk cafe:					
S28- Elevated Train Infrastructure	feet	S29- Transformer Vault	feet		
Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:					
S30- Vent Infrastructure: utility vent poles, vent grates, subway grates	6ft inches	S31- Manholes	inches		
Check this box if none of the objects listed above are within 15 feet of the proposed setup.					





SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
 - Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

There to the detap datas in the bining dat 1410 website for more information regarding materials.				
aterials Checklist:				
Required				
Perimeter Demarcation (All of the following must be met)				
Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.				
Maximum height is 2 feet 6 inches (excluding planting(s)).				
■ Not affixed to the sidewalk.				
Optional- Only check the material categories you intend to use in your sidewalk cafe				
Furnishings (if using, the first two below must be met)				
Lightweight and easily movable.				
Not affixed to the sidewalk.				
Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar or Basement Door Certification</u>				
Awnings Physically Attached to the Building (if using, all of the following must be met)				
Minimum 8 feet height from the ground and does not exceed 10 feet height.				
Easily removable, comprised of fire-grade and wind resistant materials.				
Does not extend beyond the perimeter of the sidewalk cafe.				
Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.				
Overhead Coverings/ Umbrellas (if using, all of the following must be met)				
Minimum 7 feet height from the ground and does not exceed 10 feet height.				
Easily removable, comprised of fire-grade and wind resistant materials.				
Does not extend beyond the perimeter of the sidewalk cafe.				
The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.				
Any support structures are of sufficient size and strength, made of durable materials, and free of defects.				
Lighting and Electrical Connections (if using, all of the following must be met)				
Any lighting is outdoor rated, properly secured, and lightweight.				
Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.				
Does not extend beyond the perimeter of the sidewalk cafe.				
Does not exceed 10 feet in height.				
Not attached to any City property, including street trees.				
Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.				