



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: JAVELINA				
Cafe Address: 1395 2 AVEN	UE, NEW YORK, NY	′, 10021		
Application Number: 20240730	0010070			
CB Review Deadline (on date or r	next business day):	12.15.2025		
NYCDOT Internal use Unity				
Sidewalk Cafe Setup Feedback:		Community Board o	chooses to WAIVE review	
Comments related to the cafe's physic	al footprint and dimens	ions:		
Comments related to pedestrian flow ((i.e., visbility, safety , poto	ential crowding):		
Comments related to potential conflict	s with existing curb use	(i.e., planters, bike racks, bus sto	ops):	
Please check one of the recommendation the above application:	ons below, either approva	ıl, denial, or approval with modif	ications relating to	
Community Board recommends app	proval	Community Board recomm	nends denial	
Community Board recommends approval w/ modifications				
Recommended modifications (only if a	approved w/ modification	ns):		
Applicant acknowledges and agrees to modifications relating to the above referenced application				
Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.				

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50105734

Expiration Date: 08/31/2026 DOHMH Status: CURRENT

Business Legal Name: 1395 SECOND AVENUE RESTAURANT, LLC

Assumed Name: JAVELINA

Business Address: 1395 2 AVENUE, NEW YORK, NY 10021

Venue Type: Restaurant (with bar) Last updated from DOHMH: 11/03/2025

Restaurant Information

Entity Type: Limited Liability Partnership (LLP)

Phone: (917) 261-7011

Email Address: info@javelinatexmex.com

DOS Information

DOS ID#: 5000263

Process Name: 1395 Second Avenue Restaurant, LLC

DOS Address: 1395 Second Avenue, New York, New York 10021

NYS Liquor Authority Information

NYSLA Serial No: 034021120340 License Type: On-Premises

Name of License: 1395 Second Avenue Restaurant LLC

Title of Representative: Matthew Post

Name of Certificate Holder: 1395 Second Avenue Restaurant LLC

Business hours

Sun:

12:00 PM- 9:00 PM

Mon:

4:00 PM- 10:00 PM

Tues:

4:00 PM- 10:00 PM

Wed:

4:00 PM- 10:00 PM

Thurs:

4:00 PM- 11:00 PM


Fri:

4:00 PM- 11:00 PM

Sat:

12:00 PM- 11:00 PM














SECTION 2: Required Cleara	2000			OF OFFICE AND ADDRESS OF THE PARTY OF THE PA
		the same of the same of the same of	The Paris of	SECTION 3: Mater
 Please provide distances from Only provide a distance if the li Refer to the <u>Setup Guides</u> in th 	isted object is with	ects. hin 15 feet of your proposed setup website for more information rega	arding clearances.	 Please indicate wh to the category. If checking the box r
Elements with minimum 15 feet	clearance from si	dewalk cafe:		Refer to the <u>Setup</u>
S01- Subway Stair: Open End	feet			Materials Checklist:
Elements with minimum 10 feet	clearance from si	dewalk cafe:		
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet	Perimeter Dem
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet	Perimeter of
Elements with minimum 8 feet c	earance from sid	ewalk cafe:		base wall, r
S06- Street Tree Bed	feet	S13- Newsstand	feet	Wot affixed
S07- Mailbox	feet	S14- Streetlight	feet	Recorded to the second second
S08- LinkNYC Klosk	feet	S15- Bus Stop Pole	feet	*Optional- C
S09- Wayfinding Klosk	feet	S16- Fire Hydrant	feet	m/s no
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet	Furnishings (if
S11- Parking Meter	feet	S18-Traffic Signal	feet	Not affixed
512- SBS Fare Machine	feet			Check here
Elements with minimum 5 feet c	earance from sid	ewalk cafe:		or Baseme
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet	M Awnings Physical Marining Street
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet	Pasily remo
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet	poes not e
S22- Primary Building Entrance	feet	S27- Siamese Connection	feet	Complies
S23- Curb Cut	feet			and/or app
Elements with minimum 3 feet c	learance from sid	ewalk cafe:		Overhead Cove
S28- Elevated Train Infrastructure	feet	S29-Transformer Vault	feet	Minimum Easily remo
Elements with minimum 1 foot 6	inches clearance	from sidewalk cafe elements:		Does not e
S30- Vent Infrastructure:	inches	S31- Manholes	inches	■The umbre
utility vent poles, vent grates, subway grates		a so, mainsie		Any suppo
Check this box if none of the ob	iects listed above a	re within 15 feet of the proposed set	tup.	Lighting and E
				Any lightin
Management of the second				the cafe.
Cannot block access	A. Carrier	Cannot block or	partition of the same	Does not e
to building		be attached to fire		Does not e
HATTER STATE OF THE STATE OF TH		escape stairs	The state of the s	Not attach
	A COMPANY			Electrical

SECTION 3: Material Requirements

Perimeter Demarcation (All of the following must be met)

Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.

Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

Required

V	Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.				
Maximum height is 2 feet 6 inches (excluding planting(s)).					
-	Not affixed to the sidewalk,				
<u>*0</u> 1	ptional- Only check the material categories you intend to use in your sidewalk cafe*				
Furni	işhings (if using, the first two below must be met)				
\mathbf{v}	Lightweight and easily movable.				
V	Not affixed to the sidewalk.				
/	Check here If you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar</u> or Basement Door Certification				
M Awn	ings Physically Attached to the Building (if using, all of the following must be met)				
V	Minimum 8 feet height from the ground and does not exceed 10 feet height.				
Į.	rasily removable, comprised of fire-grade and wind resistant materials.				
,	poes not extend beyond the perimeter of the sidewalk cafe.				
t	Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.				
Over Over	head Coverings/ Umbrellas (if using, all of the following must be met)				
200	Minimum 7 feet height from the ground and does not exceed 10 feet height.				
	Easily removable, comprised of fire-grade and wind resistant materials.				
	Does not extend beyond the perimeter of the sidewalk cafe.				
	The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.				
,	Any support structures are of sufficient size and strength, made of durable materials, and free of defects.				
W Ligh	ting and Electrical Connections (if using, all of the following must be met)				
	Any lighting is outdoor rated, properly secured, and lightweight.				
	Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.				
	Opoes not extend beyond the perimeter of the sidewalk cafe.				
	Pooes not exceed 10 feet in height.				
	Not attached to any City property, including street trees.				
	Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from th Landmarks Preservation Commission (LPC) as applicable.				