

PLAN SHOWING LOCATION OF

**NEW HYDRONIC SNOW MELTING** SYSTEM

TO BE LOCATED AT

49 EAST 67TH STREET **BOROUGH OF MANHATTAN** 

TO ACCOMPANY PETITION DATED: 6/30/25

OF

49 East 67th Street LLC

TO THE DEPARTMENT OF TRANSPORTATION CITY OF NEW YORK

**49 EAST 67TH STREET LLC** 



TARA B. MULROONY **AUTHORIZED AGENT, APPLICANT** 

**ZONING INFORMATION BLOCK: 1382** LOT: 32 **ZONING DISTRICT: R8B, PL ZONING MAP: 8C** 

**CHARACTER OF MATERIALS:** SEE FULL LIST ON PAGE 5

**COST OF REMOVAL AND RESTORATION:** \$15,500.

**TOTAL LENGTH OF WIRE: 243 LF** 


**NOTE: PROPOSED IMPROVEMENTS SHOWN IN RED** 

**ARCHITECT** 



68 WHITEHALL ST. LYNBROOK, NY 11563 (516) 256-0317 www.ggastudios.com


GOLDEN GLOW ARCHITECTURAL STUDIOS, DPC 2020



DATE:	05/28/2025
CHECKED BY:	M.JUN
DRAWN BY:	AE / MJ
SCALE:	AS NOTED
DWG NUMBER: X-100.00	

01 OF 05

SITE PHOTOGRAPH





SITE PHOTOGRAPH


SITE PHOTOGRAPH














VARIOUS INSULATION REINFORCEMENT PROTECTIVE LAYERS

7/4" INTERIOR DIAMETER PIPING

PIPING

PEX, ¾", 0.671 ID, 0.875 OD
WIRSBO, hePEX coil or approved equal

SENSOR

Slab Temperature Sensor, -60° - 140° F
TEKMAR, Slab Sensor 073 or approved equal

Snow / Ice Sensor, -30° - 170° F, 15,000 lbs (66.723 N)
TEKMAR, Snow / Ice Sensor 090 or approved equal

SNOW MELT SYSTEM DETAILS - PIPE DIAMETER
SCALE: NTS

MATERIAL LIST





DATE: 05/28/2025
CHECKED BY: M.JUN
DRAWN BY: AE / MJ
SCALE: AS NOTED
DWG NUMBER:
X-104.00

05 OF 05