



Eric Adams Mayor Ydanis Rodriguez Commissioner

COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC


COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: BARKING DOG							
Cafe Address: 1678 3 AVENUE, NEW YORK, NY, 10128							
Application Number: 20240805010003							
CB Review Deadline (on date or next business day): 05/31/2025 NYCDOT Internal Use Only							
Sidewalk Cafe Setup Feedback: Community Board chooses to WAIVE review							
Comments related to the cafe's physical footprint and dimensions :							
Comments related to pedestrian flow (i.e., visbility, safety , potential crowding):							
Comments related to potential conflicts with existing curb use (i.e., planters, bike racks, bus stops):							
Please check one of the recommendations below, either approval , denial , or approval with modifications <u>relating to</u> <u>the above application</u> :							
Community Board recommends approval							
Community Board recommends approval w/ modifications Recommended modifications (only if approved w/ modifications):							
 Applicant acknowledges and agrees to modifications relating to the above referenced application Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration. 							


RESTAURANT DETAILS


Food Service Establishment Permit(FSEP) FSEP#: 50078890 Expiration Date: 05/31/2024 DOHMH Status: CURRENT Business Legal Name: EASTSIDE BARKING DOG INC Assumed Name: BARKING DOG Business Address: 1678 3RD AVE, NEW YORK, NY 10128 Venue Type: Restaurant (with bar) Last updated from DOHMH: 02/20/2025 **Restaurant Information** Entity Type: Corporation Phone: (212) 831-1800 Email Address: kellymlk136@GMAIL.COM **DOS** Information DOS ID#: 5233033 Process Name: BUJAR KACI DOS Address: 1678 3RD AVE, NEW YORK, New York 10128 NYS Liquor Authority Information NYSLA Serial No: 034022113636 License Type: On-Premises Name of License: BUJAR KACI Title of Representative: OWNER Name of Certificate Holder: EASTSIDE BARKING DOG INC User Information Created By: Michael Kelly Created On: 8/5/2024 2:11:18 PM **Business hours** Sun: 8:00 AM- 11:00 PM Mon: 8:00 AM- 11:00 PM Tues: 8:00 AM- 11:00 PM Wed: 8:00 AM- 11:00 PM Thurs: 8:00 AM- 11:00 PM Fri: 8:00 AM- 11:00 PM Sat: 8:00 AM- 11:00 PM














SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.

feet

Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from sidewalk cafe:

	CO1 Cubure	· Ctair Onon	End	
1000	S01-Subway	v Stall: Open	IENU	

Elements with minimum 10 feet clearance from sidewalk cafe:

502- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet				
503- Exhaust Duct	feet	S05- FDNY Curb Cut	feet				
Elements with minimum 8 feet clearance from sidewalk cafe:							
S06- Street Tree Bed	feet	S13- Newsstand	feet				
S07- Mailbox	feet	S14-Streetlight	10 feet				
508- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet				
509- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet				
S10- E-charging Station	feet	S17-Bus Stop Shelter	feet				
S11- Parking Meter	feet	S18- Traffic Signal	feet				
S12- SBS Fare Machine	feet						

Elements with minimum 5 feet clearance from sidewalk cafe:

S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet					
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet					
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet					
S22- Primary Building Entrance	feet	S27- Siamese Connection	feet					
S23- Curb Cut	feet							
Elements with minimum 3 feet clearance from sidewalk cafe:								
S28- Elevated Train Infrastructure	feet	S29- Transformer Vault	feet					

Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:

S30- Vent Infrastructure: utility vent poles, vent grates, subway grates

inches S31- Manholes

Check this box if none of the objects listed above are within 15 feet of the proposed setup.





inches

SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next
 to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by
 checking the box next to the associated requirement.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Required

Perimeter Demarcation (All of the following must be met)

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

Optional- Only check the material categories you intend to use in your sidewalk cafe

Furnishings (if using, the first two below must be met)

- Lightweight and easily movable.
- Not affixed to the sidewalk.
- Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar or Basement Door Certification

Awnings Physically Attached to the Building (if using, all of the following must be met)

- Minimum 8 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.

Overhead Coverings/ Umbrellas (if using, all of the following must be met)

- Minimum 7 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- Any support structures are of sufficient size and strength, made of durable materials, and free of defects.

Lighting and Electrical Connections (if using, all of the following must be met)

- Any lighting is outdoor rated, properly secured, and lightweight.
- Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Does not exceed 10 feet in height.
- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.