



COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: THEBUSINESS OF HOSPITALITY LLC						
Cafe Address: 1022 LEXINGTON AVENUE, NEW YORK, NY, 10021						
Application Number: 20250214010001						
CB Review Deadline (on date or next business day): 5/14/2025 NYCDOT Internal Use Only						
Sidewalk Cafe Setup Feedback: Community Bo	ard chooses to WAIVE review					
Comments related to the cafe's physical footprint and dimensions :						
Comments related to pedestrian flow (i.e., visbility, safety , potential crowding):						
Comments related to potential conflicts with existing curb use (i.e., planters, bike racks, but	ıs stops):					
Please check one of the recommendations below, either approval , denial , or approval with modifications <u>relating to the above application</u> :						
Community Board recommends approval Community Board rec	commends denial					
Community Board recommends approval w/ modifications						
Recommended modifications (only if approved w/ modifications):						
Applicant acknowledges and agrees to modifications relating to the above referenced application						
Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.						

Restaurant Details

Food Service Establishment Permit (FSEP)

FSEP#: **50164674**

Expiration Date: **01/28/2025**

DOHMH Status: PENDING APPLICATION

Business Legal Name: THEBUSINESS OF HOSPITALITY LLC

Assumed Name: N/A

Business Address: 1022 LEXINGTON AVENUE, NEW YORK, NY 10021

Venue Type: **Restaurant (with bar)**

Last updated from DOHMH: 04/11/2025

Restaurant Information

Entity Type: Limited Liability Corporation (LLC)

Phone: (917) 544-2557

Email Address: talevskaelena@gmail.com

DOS Information

DOS ID#: 6262881

Process Name: THE BUSINESS OF HOSPITALITY LLC

DOS Address: 22 WEST 15TH STREET #6F, NEW YORK, New York 10011

NYS Liquor Authority Information

NYSLA Serial No: **Pending** License Type: **On-Premises**

Name of License: **Elena Ristovski**Title of Representative: **LLC Member**

Name of Certificate Holder: THE BUSINESS OF HOSPITALITY LLC

Business hours

Sun: 10:00 AM- 12:00 AM Mon: 10:00 AM- 12:00 AM Tues: 10:00 AM- 12:00 AM Wed: 10:00 AM- 12:00 AM Thurs: 10:00 AM- 12:00 AM Fri: 10:00 AM- 12:00 AM

Sat: 10:00 AM- 12:00 AM

SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the <u>How to Apply</u> page in the Dining Out NYC website for more information about the application process.

Length of sidewalk cafe: 57.3

Identify Clear Path Requirements:

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map.

C1- Global Corridor (12 feet Clear Path)

C2- Regional Corridor (10 feet Clear Path)

C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Setup Area Identification:

Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.

Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.





Sidewalk Cafe Site Plan Form

Applicant Name:

The Business of Hospitality LLC

Restaurant Name:

MARLOW EAST

FSEP Number:

50164674

Drawing Requirements

Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Length
- Labels

Private Property shown as:

Dashed line

Street names:

· Labels on each street

Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

Building entrances shown as:

Label

Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup


Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:

- Lines or symbols
- Distance from cafe perimeter
- Labels

Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow




4.5 ____feet

SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

So1- Subway Stair: Open End	Elements with minimum 15 feet	t clearance	from sid	dewalk cafe:					
S02- Subway Elevator Entrance	S01- Subway Stair: Open End		feet						
S03- Exhaust Duct feet S05- FDNY Curb Cut feet	Elements with minimum 10 feet	t clearance	from sic	dewalk cafe:					
Elements with minimum 8 feet clearance from sidewalk cafe: \$ 506- Street Tree Bed	S02- Subway Elevator Entrance		feet	S04- MTA Curb Cut		_feet			
So6- Street Tree Bed 8 feet	S03- Exhaust Duct		feet	S05- FDNY Curb Cut		feet			
Sof State Research Sof Sta	Elements with minimum 8 feet clearance from sidewalk cafe:								
So8- LinkNYC Kiosk feet S15- Bus Stop Pole feet So9- Wayfinding Kiosk feet S16- Fire Hydrant 8 feet S10- E-charging Station feet S17- Bus Stop Shelter feet S11- Parking Meter feet S18- Traffic Signal feet S12- SBS Fare Machine feet S19- CitiBike/Bike Share Station feet S24- Emergency Exit Hatch feet S20- Bike Corral feet S25- Subway Stair: Closed End feet S21- Micromobility Station feet S22- Primary Building Entrance feet S27- Siamese Connection feet S23- Curb Cut feet Elements with minimum 3 feet clearance from sidewalk cafe: S28- Elevated Train Infrastructure feet S29- Transformer Vault feet Inches utility vent poles, vent grates, subway grates	S06- Street Tree Bed	8	feet	S13- Newsstand		_feet			
So9- Wayfinding Kiosk feet 516- Fire Hydrant 8 feet 510- E-charging Station feet 517- Bus Stop Shelter feet 511- Parking Meter feet 518- Traffic Signal feet 512- SBS Fare Machine feet 518- Traffic Signal feet 512- SBS Fare Machine feet 519- CitiBike/Bike Share Station feet 524- Emergency Exit Hatch feet 520- Bike Corral feet 525- Subway Stair: Closed End feet 521- Micromobility Station feet 522- Subway Elevator: Non-Entry feet 522- Primary Building Entrance 7.1 feet 523- Curb Cut feet 523- Curb Cut feet 523- Curb Cut feet 524- Emergency Exit Hatch feet 525- Subway Elevator: Non-Entry feet 522- Primary Building Entrance 7.1 feet 526- Subway Elevator: Non-Entry feet 523- Curb Cut feet 524- Emergency Exit Hatch feet 525- Subway Elevator: Non-Entry feet 522- Primary Building Entrance 7.1 feet 526- Subway Elevator: Non-Entry feet 528- Elevated Train Infrastructure feet 529- Transformer Vault feet Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements: S30- Vent Infrastructure: inches 531- Manholes inches clearance grates, subway grates	S07- Mailbox		feet	S14- Streetlight		feet			
S10- E-charging Station feet S17- Bus Stop Shelter feet S11- Parking Meter feet S12- SBS Fare Machine feet Elements with minimum 5 feet clearance from sidewalk cafe: S19- CitiBike/Bike Share Station feet S24- Emergency Exit Hatch feet S20- Bike Corral feet S25- Subway Stair: Closed End feet S21- Micromobility Station feet S22- Primary Building Entrance 7.1 feet S22- Primary Building Entrance feet S23- Curb Cut feet Elements with minimum 3 feet clearance from sidewalk cafe: S28- Elevated Train Infrastructure feet S29- Transformer Vault feet S28- Vent Infrastructure: inches utility vent poles, vent grates, subway grates	S08- LinkNYC Kiosk		feet	S15- Bus Stop Pole		feet			
S11- Parking Meter feet S18- Traffic Signal feet S12- SBS Fare Machine feet Elements with minimum 5 feet clearance from sidewalk cafe: S19- CitiBike/Bike Share Station feet S24- Emergency Exit Hatch feet S20- Bike Corral feet S25- Subway Stair: Closed End feet S21- Micromobility Station feet S26- Subway Elevator: Non-Entry feet S22- Primary Building Entrance 7.1 feet S27- Siamese Connection feet S23- Curb Cut feet Elements with minimum 3 feet clearance from sidewalk cafe: S28- Elevated Train Infrastructure feet S29- Transformer Vault feet Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements: S30- Vent Infrastructure: inches S31- Manholes inches utility vent poles, vent grates, subway grates	S09- Wayfinding Kiosk		feet	S16- Fire Hydrant	8	feet			
S12- SBS Fare Machine	S10- E-charging Station		feet	S17- Bus Stop Shelter		feet			
Elements with minimum 5 feet clearance from sidewalk cafe: S19- CitiBike/Bike Share Station	S11- Parking Meter		feet	S18- Traffic Signal		feet			
S19- CitiBike/Bike Share Station	S12- SBS Fare Machine		feet						
S20- Bike Corral feet S25- Subway Stair: Closed End feet S21- Micromobility Station feet S26- Subway Elevator: Non-Entry feet S22- Primary Building Entrance 7.1 feet S27- Siamese Connection 5 feet S23- Curb Cut feet S23- Curb Cut feet S29- Transformer Vault feet feet S29- Transformer Vault feet feet feet feet feet feet fee	Elements with minimum 5 feet	clearance fr	om side	ewalk cafe:					
S21- Micromobility Station	S19- CitiBike/Bike Share Station		feet	S24- Emergency Exit Hatch		feet			
S22- Primary Building Entrance 7.1 feet S23- Curb Cut Feet Elements with minimum 3 feet clearance from sidewalk cafe: S28- Elevated Train Infrastructure feet S29- Transformer Vault Feet Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements: S30- Vent Infrastructure: utility vent poles, vent grates, subway grates inches	S20- Bike Corral		feet	S25- Subway Stair: Closed End		feet			
S23- Curb Cut	S21- Micromobility Station		feet	S26- Subway Elevator: Non-Entry		feet			
Elements with minimum 3 feet clearance from sidewalk cafe: S28- Elevated Train Infrastructure	S22- Primary Building Entrance	7.1	feet	S27- Siamese Connection	5	feet			
S28- Elevated Train InfrastructurefeetS29- Transformer Vaultfeet Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements: S30- Vent Infrastructure:inchess31- Manholesinches grates, subway grates	S23- Curb Cut		feet						
Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements: S30- Vent Infrastructure: utility vent poles, vent grates, subway grates S31- Manholes inches	Elements with minimum 3 feet	clearance fr	om side	ewalk cafe:					
S30- Vent Infrastructure: inches Utility vent poles, vent grates, subway grates inches inches	S28- Elevated Train Infrastructure		feet	S29- Transformer Vault		feet			
utility vent poles, vent grates, subway grates	Elements with minimum 1 foot	6 inches cle	arance	from sidewalk cafe elements:					
Check this box if none of the objects listed above are within 15 feet of the proposed setup.	utility vent poles, vent		inches	S31- Manholes		_ inches			
	Check this box if none of the ol	bjects listed a	above ar	e within 15 feet of the proposed set	up.				
					17 /				





SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
 - Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

erials Checklist:
Required
Perimeter Demarcation (All of the following must be met)
Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope. Maximum height is 2 feet 6 inches (excluding planting(s)). Not affixed to the sidewalk.
Optional- Only check the material categories you intend to use in your sidewalk cafe
Furnishings (if using, the first two below must be met)
Lightweight and easily movable.
■ Not affixed to the sidewalk.
Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar or Basement Door Certification</u>
Awnings Physically Attached to the Building (if using, all of the following must be met)
Minimum 8 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.
Overhead Coverings/ Umbrellas (if using, all of the following must be met)
Minimum 7 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
\blacksquare The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
Lighting and Electrical Connections (if using, all of the following must be met)
Any lighting is outdoor rated, properly secured, and lightweight.
Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
Does not extend beyond the perimeter of the sidewalk cafe.
Does not exceed 10 feet in height.
Not attached to any City property, including street trees.
Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.

