



# COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

#### **DINING OUT NYC**

#### **COMMUNITY BOARD RECOMMENDATION FORM**

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: BONDURANTS				
Cafe Address: 303 EAST 85 STREET, NEW YORK, NY, 10028				
Application Number: 20240801010114				
CB Review Deadline (on date or next business day): 01/24/2026  NYCDOT Internal Use Only				
Sidewalk Cafe Setup Feedback: Community Board chooses to WAIVE review				
Comments related to the cafe's <b>physical footprint and dimensions</b> :				
Comments related to <b>pedestrian flow</b> (i.e., visbility, safety , potential crowding):				
Comments related to potential conflicts with <b>existing curb use</b> (i.e., planters, bike racks, bus stops):				
Please check one of the recommendations below, either <b>approval</b> , <b>denial</b> , or <b>approval with modifications</b> <u>relating to the above application</u> :				
Community Board recommends approval  Community Board recommends denial				
Community Board recommends approval w/ modifications				
Recommended modifications (only if approved w/ modifications):				
Applicant acknowledges and agrees to modifications relating to the above referenced application				
Applicant acknowledges <b>BUT</b> does <b>NOT</b> agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.				

#### **RESTAURANT DETAILS**

#### Food Service Establishment Permit(FSEP)

FSEP#: 50004412

Expiration Date: 11/30/2026 DOHMH Status: CURRENT

Business Legal Name: KEVRYN LLC Assumed Name: BONDURANTS

Business Address: 303 EAST 85 STREET, NEW YORK, NY 10028

Venue Type: Restaurant (with bar)

Last updated from DOHMH: 12/08/2025

#### **Restaurant Information**

Entity Type: Limited Liability Corporation (LLC)

Phone: (929) 279-1884

Email Address: caity@bondurantsnyc.com

Principal Place of Business Address

Address: 303 EAST 85 STREET, NEW YORK, New York 10028

#### **DOS Information**

DOS ID#: 4441807

Process Name: Northwest Registered Agen

DOS Address: 90 State Street, Albany, New York 12207

DOS Legal Name: KEVRYN LLC

#### **NYS Liquor Authority Information**

NYSLA Serial No: 1273397 License Type: On-Premises Name of License: KEVRYN LLC Title of Representative: Partner

Name of Certificate Holder: Caitlin Prunka

#### **Business hours**

Sun:

11:00 AM- 12:00 AM

Mon:

4:00 PM- 12:00 AM

Tues:

4:00 PM- 1:00 AM

Wed:

4:00 PM- 1:00 AM

Thurs:

4:00 PM- 1:00 AM

Fri:

4:00 PM- 2:00 AM

Sat:


11:00 AM- 2:00 AM

#### **SECTION 1: Site Plan**

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the <u>How to Apply</u> page in the Dining Out NYC website for more information about the application process.

# Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map. C1- Global Corridor (12 feet Clear Path) C2- Regional Corridor (10 feet Clear Path) C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

# Setup Area Identification: Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager. Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.







# Sidewalk Cafe Site Plan Form

**Applicant Name:** 

KEVRYN LLC

**Restaurant Name:** 

Bondurants

**FSEP Number:** 

50004412

#### **Drawing Requirements**

### Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Length
- Labels

#### Private Property shown as:

Dashed line

#### Street names:

· Labels on each street

#### Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

#### **Building entrances shown as:**

Label

#### Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

## Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup

# Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:

- Lines or symbols
- Distance from cafe perimeter
- Labels

### Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup


North arrow

#### **SECTION 2: Required Clearances**

- · Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from sidewalk cafe:				
S01- Subway Stair: Open End	feet			
Elements with minimum 10 feet clearance from sidewalk cafe:				
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet	
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet	
Elements with minimum 8 feet clearance from sidewalk cafe:				
S06- Street Tree Bed	8 feet	S13- Newsstand	feet	
S07- Mailbox	feet	S14- Streetlight	feet	
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet	
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	8 feet	
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet	
S11- Parking Meter	feet	S18- Traffic Signal	feet	
S12- SBS Fare Machine	feet			
Elements with minimum 5 feet clearance from sidewalk cafe:				
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet	
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet	
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet	
S22- Primary Building Entrance	feet	S27- Siamese Connection	5feet	
S23- Curb Cut	feet			
Elements with minimum 3 feet clearance from sidewalk cafe:				
S28- Elevated Train Infrastructure	feet	S29- Transformer Vault	feet	
Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:				
S30- Vent Infrastructure: utility vent poles, vent grates, subway grates	inches	S31- Manholes	inches	
Check this box if none of the objects listed above are within 15 feet of the proposed setup.				





#### **SECTION 3: Material Requirements**

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

#### **Materials Checklist:**

#### \*Required\*

#### Perimeter Demarcation (All of the following must be met)

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

#### \*Optional- Only check the material categories you intend to use in your sidewalk cafe\*

#### Furnishings (if using, the first two below must be met)

- Lightweight and easily movable.
- Not affixed to the sidewalk.
- Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar</u> or Basement Door Certification

#### Awnings Physically Attached to the Building (if using, all of the following must be met)

- Minimum 8 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.

#### Overhead Coverings/ Umbrellas (if using, all of the following must be met)

- Minimum 7 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- Any support structures are of sufficient size and strength, made of durable materials, and free of defects.

#### Lighting and Electrical Connections (if using, all of the following must be met)

- Any lighting is outdoor rated, properly secured, and lightweight.
- Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Does not exceed 10 feet in height.
- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.



