



# COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

# **DINING OUT NYC**

# **COMMUNITY BOARD RECOMMENDATION FORM**

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:	TAL BAGELS			
Cafe Address:	1228 LEXINGTON AVEN	NUE, NEW YORK, N	NY, 10028	
Application Numl	<b>Der:</b> 20240801010088			
CB Review Deadli NYCDOT Internal Use Only	ne (on date or next busin	ess day): 01/10/202	26	
Sidewalk Cafe Se			Community Board of	chooses to <b>WAIVE</b> review
Comments related to	o the cafe's <b>phyśical footprint</b> a	and dimensions:		
Comments related to	o <b>pedestrian flow</b> (i.e., visbility,	safety , potential crowd	ding):	
Comments related to	o potential conflicts with <b>existi</b>	<b>ng curb use</b> (i.e., plante	rs, bike racks, bus sto	ops):
Please check one of t the above application	he recommendations below, ei	ther <b>approval, denial</b> , or	approval with modif	ications relating to
Community Boar	d recommends <b>approval</b>	Com	munity Board recomr	nends <b>denial</b>
Community Boar	d recommends approval w/ mo	odifications		
Recommended mod	ifications ( <b>only if approved w/</b>	modifications):		
Applicant acknow	vledges and agrees to modification	ations relating to the ab	ove referenced appli	cation
	vledges <b>BUT</b> does <b>NOT</b> agree v ed, please provide NYC DOT wi			

# **RESTAURANT DETAILS**

## **Food Service Establishment Permit(FSEP)**

FSEP#: 40901832

Expiration Date: 06/30/2026 DOHMH Status: CURRENT

Business Legal Name: LX AVENUE BAGELS, INC

Assumed Name: TAL BAGELS

Business Address: 1228 LEXINGTON AVENUE, NEW YORK, NY 10028

Venue Type: Restaurant (no bar)

Last updated from DOHMH: 11/24/2025

# **Restaurant Information**

Entity Type: Corporation Phone: (212) 717-2080

Email Address: KELLYMLK136@GMAIL.COM

## **DOS Information**

DOS ID#: 2766168

Process Name: THE CORPORATION

DOS Address: 1228 LEXINGTON AVE, NEW YORK, New York 10028

DOS Legal Name: LX AVENUE BAGELS, INC.

# **NYS Liquor Authority Information**

Establishment serves alcohol: No

## **Business hours**

Sun:

6:00 AM- 8:00 PM

Mon:

6:00 AM-8:00 PM

Tues:

6:00 AM-8:00 PM

Wed:

6:00 AM-8:00 PM

Thurs:

6:00 AM- 8:00 PM

Fri:

6:00 AM- 8:00 PM


Sat:

6:00 AM- 8:00 PM









# SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

# Identify Clear Path Requirements:

- Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map on Open Data.
- C1- Global Corridor (12 feet Clear Path)
- C2- Regional Corridor (10 feet Clear Path)
- C3- Neighborhood Corridor (8 feet Clear Path) C4- Community Connector (8 feet Clear Path)
- C5- Baseline Street (8 feet Clear Path)

## Setup Area Identification:

- Please check this box if you plan to have outdoor dining located within private property. If so, indicate the property line in the site plan drawing below.
- Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing





# Sidewalk Cafe Site Plan Form

**Applicant Name:** 

LX AVENUE BAGELS INC

Restaurant Name:

Tal Bagels

**FSEP Number:** 

421537214

# **Drawing Requirements**

#### Food service establishment frontage shown by:

- Line representing space occupied in building
- Labels

#### Street names:

Labels on each street

#### Sidewalk shown as:

- Line representing street curb
- · Width measured from building line to curb line

## Primary building entrance shown as:

- Label
- Distance from proposed setup

## Cafe perimeter shown as:

- Line
- · Length and width
- --- (Dashed line) representing Private Property Line

#### Set-up furniture (tables, chairs, etc.) shown as:

 Lines or symbols at approximate location within setup

#### Sidewalk elements or objects shown as:


- · Lines or symbols
- Labels
- · Distance from cafe perimeter

#### Utility coverings shown as:

Symbols representing the approximate shape of the covering within the setup

MANHOLE COVER

W UTILITY COVERING



# SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Leave box blank if not applicable.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

		wells and a		
Elements with minimum 15 feet cleara	nce from side	ewaik care:		
S01- Subway Stair: Open End	feet			
Elements with minimum 10 feet clears	nce from side	ewalk cafe:		
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut		feet
S03- Exhaust Duct	feet	S05- FDNY Curb Cut		feet
Elements with minimum 8 feet clearar	nce from side	walk cafe:		
	feet	S13- Newsstand		feet
S06- Street Tree Bed	feet	S14- Streetlight	10	feet
S07- Mailbox S08- LinkNYC Kiosk	feet	S1 5- Bus Stop Pole		feet
S09- Wayfinding Klosk	feet	S16- Fire Hydrant	8	feet
S10- E-charging Station	feet	S17- Bus Stop Shelter		feet
S11- Parking Meter	feet	S18- Traffic Signal		feet
S12- Select Bus Service Fare	feet			
Elements with minimum 5 feet cleara	nce from side			
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch		feet
S20- Bike Corral	feet	S25- Subway Stair: Closed End		feet
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry		feet
S22- Primary Building Entrance	feet	S27- Siamese Connection	5	feet
S23- Curb Cut	feet			
Elements with minimum 3 feet clear	ance from sid	ewalk cafe:		
S28- Elevated Train Infrastructure	feet			
S29- Transformer Vault	feet			
Elements with minimum 1 foot 6 inc	hes clearance	from sidewalk cafe elements:		
S30- Vent Infrastructure	inches			
Cannot block access to building		Cannot block or be attached to fire escape stairs		4

#### **SECTION 3: Material Requirements**

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

n	-	eria	-	ha	abli	00	
n	nat	erra	5 U	1110	CKII	o.	٠

	aui	

#### Perimeter Demarcation

- Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- Maximum height is 2 feet 6 inches (excluding planting(s)).
- Not affixed to the sidewalk.

\*Optional- Only check the material categories you intend to use in your sidewalk cafe\*

#### **Furnishings**

- Lightweight and easily movable.
- Not affixed to the sidewalk

## Awnings (Physically attached to the building)

- Minimum 8 feet height from the ground and does not exceed 10 feet height
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- Complies with the New York City Building Code and the requirements of the Landmarks Preservation Commission, as applicable.

#### Overhead Coverings/ Umbrellas

- Minimum 7 feet height from the ground and does not exceed 10 feet height.
- Easily removable, comprised of fire-grade and wind resistant materials.
- Does not extend beyond the perimeter of the sidewalk cafe.
- The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- Any support structures are of sufficient size and strength, made of durable materials, and free of defects.

## Lighting and Electrical Connections

- Any lighting is outdoor rated, properly secured, and lightweight.
- Connection is directly connected to ground floor restaurant's power source and within the perimeter of
- Does not extend beyond the perimeter of the sidewalk cafe.
- Does not exceed 10 feet in height.
- Not attached to any City property, including street trees.
- Electrical work complies with the applicable requirements set forth in the DOT's rules and the New York City Electrical Code.
- Please check this box if you are submitting additional documents for review. Documents may include technical drawings prepared by a licensed professional.

#### SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

# Identify Clear Path Requirements:

- Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map on Open Data.
- C1- Global Corridor (12 feet Clear Path)
- C2- Regional Corridor (10 feet Clear Path)
- C3- Neighborhood Corridor (8 feet Clear Path)
- C4- Community Connector (8 feet Clear Path)
- C5- Baseline Street (8 feet Clear Path)

### Setup Area Identification :

- Please check this box if you plan to have outdoor dining located within private property. If so, indicate the property line in the site plan drawing below.
- Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.

DUT



# Sidewalk Cafe Site Plan Form

**Applicant Name:** 

LX AVENUE BAGELS INC

Restaurant Name:

TAL BAGELS

**FSEP Number:** 

40901832



#### **Drawing Requirements**

# Food service establishment frontage shown by:

- Line representing space occupied in building
- Labels

#### Street names:

· Labels on each street

#### Sidewalk shown as:

- · Line representing street curb
- Width measured from building line to curb line

#### Primary building entrance shown as:

- . Laho
- Distance from proposed setup

#### Cafe perimeter shown as:

- Line
- Length and width
- --- (Dashed line) representing Private Property Line

# Set-up furniture (tables, chairs, etc.) shown as:

 Lines or symbols at approximate location within setup

#### Sidewalk elements or objects shown as:


- Lines or symbols
- Labels
- · Distance from cafe perimeter

#### Utility coverings shown as:

 Symbols representing the approximate shape of the covering within the setup

Q MANHOLE COVER

☑ UTILITY COVERING



# **SECTION 2: Required Clearances**

- · Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Leave box blank if not applicable.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet cl	earance from side	ewalk cafe:	
S01- Subway Stair: Open End	feet		
Elements with minimum 10 feet cl	earance from side	ewalk cafe:	
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet
Elements with minimum 8 feet cle	arance from side	walk cafe:	
S06- Street Tree Bed	feet	S13- Newsstand	feet
S07- Mailbox	feet	S14- Streetlight	10 feet
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	8 feet
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet
S11- Parking Meter	feet	S18- Traffic Signal	feet
S12- Select Bus Service Fare Machine	feet		
Elements with minimum 5 feet cle	earance from side	ewalk cafe:	
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet
S22- Primary Building Entrance	feet	S27- Siamese Connection	5 feet
S23- Curb Cut	feet		
Elements with minimum 3 feet cl	earance from side	ewalk cafe:	
S28- Elevated Train Infrastructure	efeet		
S29- Transformer Vault	feet		
Elements with minimum 1 foot 6	inches clearance	from sidewalk cafe elements:	
S30- Vent Infrastructure	inches		
		沙漠里 人名英格兰	
			A STATE OF THE STA
Cannot block access to building		Cannot block or be attached to fire	

## SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

-
Materials Checklist:
*Required*
Perimeter Demarcation
Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
<ul><li>Maximum height is 2 feet 6 inches (excluding planting(s)).</li><li>Not affixed to the sidewalk.</li></ul>
*Optional- Only check the material categories you intend to use in your sidewalk cafe*
Furnishings
Lightweight and easily movable.
Not affixed to the sidewalk.
Awnings (Physically attached to the building)
Minimum 8 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
Complies with the New York City Building Code and the requirements of the Landmarks Preservation Commission, as applicable.
Overhead Coverings/ Umbrellas
Minimum 7 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe.
The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
Lighting and Electrical Connections
Any lighting is outdoor rated, properly secured, and lightweight.
Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
Does not extend beyond the perimeter of the sidewalk cafe.
Does not exceed 10 feet in height.
Not attached to any City property, including street trees.
Electrical work complies with the applicable requirements set forth in the DOT's rules and the New York City Electrical Code.

Please check this box if you are submitting additional documents for review. Documents may include technical

drawings prepared by a licensed professional.